VOLUME 91 • AUTHOR INDEX

Abaza KT, Hancock SM and **Mahajan RP** Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**
Abdul-Khaliq H *see* Nagdyman N **438**
Abramovitz S *see* Dhar P **432**
Absalom A, Amutike D, Lal A, White M and **Kenny GNC** Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
Adachi T, Shinomura T and **Nomura R** Duration of vecuronium-induced neuromuscular blockade is shortened during hyperthermic intraoperative intraperitoneal chemotherapy: *correspondence* **160**
Adams AP The Electronic Anesthesiology Library (TEAL) on CD-ROM: *CD-ROM review* **764**
Adsumelli RSN, Steinberg ES, Schabel JE, Saunders TA and **Poppers PJ** Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
Adwedaa E *see* Kumar A **459P**; Lees G **460**
Agrò FE *see* Benumof JL **757**
Alhashemi JA and **Kaki AM** Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
Allen SJ *see* Russell JC **463P**
Alquier C *see* Du Manoir B **836**
Al-Rawi PG *see* Johnston AJ **781**
Amutike D *see* Absalom A **507**
Annila P *see* Viitanen H **363**
Antognini JF, Jinks SL, Atherley R, Clayton C and **Carstens E** Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
Antonelli T *see* Bianconi M **830**
Appiah-Ankam J Key Facts in Anaesthesia and Intensive Care: *book review* **305**
Armory P *see* Sherman R **273**
Armstrong MA *see* Gupta R **462P**; Russell JC **463P**
Arun D *see* Niraj G **586**
Asai T *see* Cook TM **373**
Asai Y *see* Narimatsu E **911**
Atherley R *see* Antognini JF **233**
Aubrun F *see* Du Manoir B **836**
Aucutt-Walter NM *see* Cronin AJ **805**
Aveek J *see* Niraj G **586**
Aveling W, Klineberg PL and **Wildsmith JAW** Hyperbaric ropivacaine and bupivacaine: *correspondence* **301**
Axon AD Drugs in Anaesthesia and Intensive Care: *book review* **929**
Axon AD The Anesthesia Fact Book. Everything You Need to Know About Anesthesia Before Your Surgery: *book review* **613**

Backman SB *see* Plourde G **583**
Bahlmann UB *see* Stacey MR **299**
Bahrami S *see* Pelinka LE **595**
Barclay PM *see* Tierney JN **461P**
Barker I Paediatric Anaesthesia and Critical Care in the District Hospital: a Practical Guide: *book review* **612**
Barnard J *see* Clark J **810**; Singham S **662**
Barrett NA and **Sundaraj SR** Inadvertent intrathecal injection of tramadol **918**
Barrière A *see* Dualé C **690**
Barvais L, Engelman E, Eba JM, Coussaert E, Cantraine F and **Kenny GN** Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**
Basaranoglu G *see* Erden V **159**
Baudouin SV Lung injury after thoracotomy **132**
Baumert JH *see* Rohde V **487**
Beattie C *see* Mahajan R **759**
Beattie JK *see* Raw DA **886**
Benhamou D *see* Tortosa JC **532**
Bennett S Swanevelder J **469**
Benumof JL and **Agrò FE** TMJ assessment before anaesthesia: *correspondence* **757**
Bepperling F *see* Ickx BE **196**
Berg SJ *see* Esler MD **157**
Bergadano A, Lauber R, Zbinden A, Schatzmann U and **Moens Y** Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
Bermejo-Alvarez MA *see* Cosío F **430**
Bhandari S *see* Mostafa SM **815**
Bhat A *see* Bhatia A **467P**
Bhatia A, Pawar DK, Subramaniam R and **Bhat A** Assessment of quality of parent administered postoperative analgesia in children undergoing day case surgery: a comparison of three regimens: *abstract* **467P**
Bianconi M, Ferraro L, Traina GC, Zanoli G, Antonelli T, Guberti A, Ricci R and **Massari L** Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery **830**
Bigeleisen PE Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block **916**
Bischoff P *see* Schneider G **905**
Bissonnette B *see* Wilson-Smith E **190**
Bjoraker DG *see* Liem EB **408**
Black AMS Clinical Teaching: A guide to teaching practical anaesthesia: *book review* **162**
Bodenham AR *see* Mallick A **265**
Boer F Drug handling by the lungs **50**
Bolandard F *see* Dualé C **690**
Bolton D *see* Nouraei SM **292**
Bonafied CP *see* Cronin AJ **805**
Bonneau RH *see* Cronin AJ **805**
Bonnet F Principles & Practice of Regional Anaesthesia: *book review* **453**
Bonnet F *see* Wattie ML **449**
Bonnichon P *see* Lallemand M-A **341**
Bossuyt GRPJ *see* De Baerdemacker LEC **638**
Bradbury NS *see* McDouall SF **924**
Breitfeld C, Peters J, Vockel T, Lorenz C and **Eikermann M** Emetic effects of morphine and piritramide **218**
Brett W *see* Skarvan K **473**
Brimacombe J *see* Stacey MR **299**
Brown RH *see* Groeben H **541**
Bruhn J *see* Kreuer S **336**
Büchi S *see* Hofer CK **631**
Buddeberg C *see* Hofer CK **631**
Budinetz T *see* Cronin AJ **805**
Bühlmann S *see* Hofer CK **631**
Burdett-Smith P International Anesthesiology Clinics. Trauma: *book review* **162**
Burton RK *see* Griffin J **498**
Busch T *see* Kaisers U **143**

Campbell RC *see* McDouall SF **924**
Canavan K *see* Nicholl SJB **921**
Canbaz S, Duran E and **Lassnigg A** Ischaemia-reperfusion studies and diabetes mellitus: *correspondence* **158**
Cantraine F *see* Barvais L **347**
Carli F and **Ruiz P** Key Topics in Clinical Research: *book review* **162**
Carmichael RL *see* Galley HF **424**
Carpenter RHS *see* Nouraei SAR **175**
Carpentier L *see* Wiel E **421**
Carrascosa *see* Pueyo FJ **589**
Carstens E *see* Antognini JF **233**
Cashman J *see* Michel MZ **448**
Casson WR *see* Strachan LM **450**
Castañón E *see* Cosío F **430**
Castaño-Santa J *see* Trillo-Urrutia L **290**
Chakravarty V *see* Niraj G **586**

© The Board of Management and Trustees of the British Journal of Anaesthesia

VOLUME 91 • AUTHOR INDEX

Abaza KT, Hancock SM and **Mahajan RP** Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**
Abdul-Khaliq H *see* Nagdyman N **438**
Abramovitz S *see* Dhar P **432**
Absalom A, Amutike D, Lal A, White M and **Kenny GNC** Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
Adachi T, Shinomura T and **Nomura R** Duration of vecuronium-induced neuromuscular blockade is shortened during hyperthermic intraoperative intraperitoneal chemotherapy: *correspondence* **160**
Adams AP The Electronic Anesthesiology Library (TEAL) on CD-ROM: *CD-ROM review* **764**
Adsumelli RSN, Steinberg ES, Schabel JE, Saunders TA and **Poppers PJ** Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
Adwedaa E *see* Kumar A **459P**; Lees G **460**
Agrò FE *see* Benumof JL **757**
Alhashemi JA and **Kaki AM** Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
Allen SJ *see* Russell JC **463P**
Alquier C *see* Du Manoir B **836**
Al-Rawi PG *see* Johnston AJ **781**
Amutike D *see* Absalom A **507**
Annila P *see* Viitanen H **363**
Antognini JF, Jinks SL, Atherley R, Clayton C and **Carstens E** Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
Antonelli T *see* Bianconi M **830**
Appiah-Ankam J Key Facts in Anaesthesia and Intensive Care: *book review* **305**
Armory P *see* Sherman R **273**
Armstrong MA *see* Gupta R **462P**; Russell JC **463P**
Arun D *see* Niraj G **586**
Asai T *see* Cook TM **373**
Asai Y *see* Narimatsu E **911**
Atherley R *see* Antognini JF **233**
Aubrun F *see* Du Manoir B **836**
Aucutt-Walter NM *see* Cronin AJ **805**
Aveek J *see* Niraj G **586**
Aveling W, Klineberg PL and **Wildsmith JAW** Hyperbaric ropivacaine and bupivacaine: *correspondence* **301**
Axon AD Drugs in Anaesthesia and Intensive Care: *book review* **929**
Axon AD The Anesthesia Fact Book. Everything You Need to Know About Anesthesia Before Your Surgery: *book review* **613**

Backman SB *see* Plourde G **583**
Bahlmann UB *see* Stacey MR **299**
Bahrami S *see* Pelinka LE **595**
Barclay PM *see* Tierney JN **461P**
Barker I Paediatric Anaesthesia and Critical Care in the District Hospital: a Practical Guide: *book review* **612**
Barnard J *see* Clark J **810**; Singham S **662**
Barrett NA and **Sundaraj SR** Inadvertent intrathecal injection of tramadol **918**
Barrière A *see* Dualé C **690**
Barvais L, Engelman E, Eba JM, Coussaert E, Cantraine F and **Kenny GN** Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**
Basaranoglu G *see* Erden V **159**
Baudouin SV Lung injury after thoracotomy **132**
Baumert JH *see* Rohde V **487**
Beattie C *see* Mahajan R **759**
Beattie JK *see* Raw DA **886**
Benhamou D *see* Tortosa JC **532**
Bennett S Swanevelder J **469**
Benumof JL and **Agrò FE** TMJ assessment before anaesthesia: *correspondence* **757**
Bepperling F *see* Ickx BE **196**
Berg SJ *see* Esler MD **157**
Bergadano A, Lauber R, Zbinden A, Schatzmann U and **Moens Y** Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
Bermejo-Alvarez MA *see* Cosío F **430**
Bhandari S *see* Mostafa SM **815**
Bhat A *see* Bhatia A **467P**
Bhatia A, Pawar DK, Subramaniam R and **Bhat A** Assessment of quality of parent administered postoperative analgesia in children undergoing day case surgery: a comparison of three regimens: *abstract* **467P**
Bianconi M, Ferraro L, Traina GC, Zanoli G, Antonelli T, Guberti A, Ricci R and **Massari L** Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery **830**
Bigeleisen PE Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block **916**
Bischoff P *see* Schneider G **905**
Bissonnette B *see* Wilson-Smith E **190**
Bjoraker DG *see* Liem EB **408**
Black AMS Clinical Teaching: A guide to teaching practical anaesthesia: *book review* **162**
Bodenham AR *see* Mallick A **265**
Boer F Drug handling by the lungs **50**
Bolandard F *see* Dualé C **690**
Bolton D *see* Nouraei SM **292**
Bonafied CP *see* Cronin AJ **805**
Bonneau RH *see* Cronin AJ **805**
Bonnet F Principles & Practice of Regional Anaesthesia: *book review* **453**
Bonnet F *see* Wattie ML **449**
Bonnichon P *see* Lallemand M-A **341**
Bossuyt GRPJ *see* De Baerdemacker LEC **638**
Bradbury NS *see* McDouall SF **924**
Breitfeld C, Peters J, Vockel T, Lorenz C and **Eikermann M** Emetic effects of morphine and piritramide **218**
Brett W *see* Skarvan K **473**
Brimacombe J *see* Stacey MR **299**
Brown RH *see* Groeben H **541**
Bruhn J *see* Kreuer S **336**
Büchi S *see* Hofer CK **631**
Buddeberg C *see* Hofer CK **631**
Budinetz T *see* Cronin AJ **805**
Bühlmann S *see* Hofer CK **631**
Burdett-Smith P International Anesthesiology Clinics. Trauma: *book review* **162**
Burton RK *see* Griffin J **498**
Busch T *see* Kaisers U **143**

Campbell RC *see* McDouall SF **924**
Canavan K *see* Nicholl SJB **921**
Canbaz S, Duran E and **Lassnigg A** Ischaemia-reperfusion studies and diabetes mellitus: *correspondence* **158**
Cantraine F *see* Barvais L **347**
Carli F and **Ruiz P** Key Topics in Clinical Research: *book review* **162**
Carmichael RL *see* Galley HF **424**
Carpenter RHS *see* Nouraei SAR **175**
Carpentier L *see* Wiel E **421**
Carrascosa *see* Pueyo FJ **589**
Carstens E *see* Antognini JF **233**
Cashman J *see* Michel MZ **448**
Casson WR *see* Strachan LM **450**
Castañón E *see* Cosío F **430**
Castaño-Santa J *see* Trillo-Urrutia L **290**
Chakravarty V *see* Niraj G **586**

© The Board of Management and Trustees of the British Journal of Anaesthesia

Chambers J *see* Swanevelder J **469**
Chambers N *see* Ng L **598**
Chan KH *see* Kao SC **294**
Chandrashekar MV *see* Rocker M **760**
Chang WK *see* Kao SC **294**
Chari P *see* Niraj G **586**
Charters P *see* Lam YF **467P**
Charters P *see* Wong P **757**
Chartrand D *see* Plourde G **583**
Chassot PG Cardiovascular and Thoracic Anaesthesia: *book review* **928**
Chatfield DA *see* Johnston AJ **781**
Chauvin M *see* Derrode N **842**
Chauvin M *see* Du Manoir B **836**
Cheng KW *see* Kao SC **294**
Chevalier D *see* Wiel E **421**
Chin D *see* Swanevelder J **469**
Chiu CL, Teh BT and **Wang CY** Temporary cardiopulmonary bypass and isolated lung ventilation for tracheal stenosis and reconstruction **742**
Choi J and **Cooper GM** Circuit obstruction: *correspondence* **452**
Clark J, Voss L, Barnard J and **Sleigh J** Implicit memory formation in sedated ICU patients after cardiac surgery **810**
Clayton C *see* Antognini JF **233**
Coleman MR *see* Johnston AJ **781**
Coles JP *see* Johnston AJ **781**
Columb M *see* Maddock H **455**
Columb MO *see* Saravanan S **368**
Conacher ID *see* Strachan LM **450**
Conacher ID, Sudarshan G and **Soni AK** Pain disaggregation theory—statistical nonsense or a pointer to a paradigm for quantum nociception? **279**
Cook RM and **Porter MV** Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia **672**
Cook TM, McCormick B and **Asai T** Randomized comparison of laryngeal tube with classic laryngeal mask airway for anaesthesia with controlled ventilation **373**
Cook TM, McKinstry C, Hardy R and **Twigg S** Randomized crossover comparison of the ProSeal™ laryngeal mask airway with the Laryngeal Tube® during anaesthesia with controlled ventilation **678**
Cook TM, McNamee DA, Milligan KR, Westman L and **Gustaffson U** Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
Cooper GM *see* Choi J **452**
Cosío F, Bermejo-Alvarez MA, Fervienza P, Jiménez LJ, Castañón E and **Díaz ML** Temporary trigeminal disorder as a result of pneumocephalus after subarachnoid block **430**
Coussaert E *see* Barvais L **347**
Coventry DM Radiographic Imaging for Regional Anaesthesia and Pain Management: *book review* **304**
Cowan CM *see* Tierney JN **461P**
Coyne L *see* Kumar A **459P**
Critchley ADJ *see* Harrison GR **797**
Cronin AJ, Aucutt-Walter NM, Budinetz T, Bonafide CP, DiVittore NA, Gordin V, Schuler HG and **Bonneau RH** Low-dose remifentanil infusion does not impair natural killer cell function in healthy volunteers **805**
Cross J *see* Stone MD **619**
Crowe S and **O'Shea D** the challenge of assessing and managing pain in early and later life: *correspondence* **924**
Cuthbertson BH Data Interpretation in Critical Care Medicine: *book review* **767**

Dahan A and **Teppema LJ** Influence of anaesthesia and analgesia on the control of breathing **40**
Dahan A *see* Romberg R **862**
Dark A *see* Nicholl SJB **921**
Dark P *see* Nirmalan M **224**
Davette M *see* Wiel E **421**
Davies JA *see* Moppett IK **353**
De Baerdemacker LEC, Struys MMRF, Jacobs S, Den Blauwen NMM, Bossuyt GRPJ, Pattyn P and **Mortier EP** Optimization of desflurane administration in morbidly obese patients: a comparison with sevoflurane using an 'inhalation bolus' technique **638**
de Beer D *see* Martindale M **300**
de Beer DAH *see* Mahajan R **761**
de Chazal I and **Hubmayr RD** Novel aspects of pulmonary mechanics in intensive care **81**
De Kock M *see* Gautier P **684**
de Pennington N *see* Nouraei SAR **175**
Deakin CDS *see* Grice AS **820**
Debaene B *see* Derrode N **842**
Decailliot F *see* Streich B **793**
Defêchereux TR *see* Joris JL **857**
Delatioglu H *see* Erden V **159**
Delis K *see* Knaggs AL **466P**
Demir T *see* Gautier P **684**
Den Blauwen NMM *see* De Baerdemacker LEC **638**
Derrode N, Lebrun F, Levron J-C, Chauvin M and **Debaene B** Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCI. A randomized, controlled study **842**
Deschamps S *see* Hemmerling TM **608**
Detsch O *see* Hackner C **580**
Dhar P, Abramovitz S, DiMichele D, Gibb CB and **Gadalla F** Management of pregnancy in a patient with severe haemophilia A **432**
Dhar P *see* Ivascu Brown N **752**
di Vadi PP *see* Jaitly V **302**
Díaz ML *see* Cosío F **430**
Diba A *see* Patel C **460P**
Dieu JH and **Veyckemans F** Perioperative management of a CADASIL type arteriopathy patient **442**
DiMichele D *see* Dhar P **432**
Dimpel L and **Enlund M** Use of nitrous oxide in anaesthesia: *correspondence* **605**
DiVittore NA *see* Cronin AJ **805**
Djamadar AM *see* Joris JL **857**
Doebrich M *see* Markstaller K **699**
Doi K *see* Shono A **825**
Dolin SJ *see* Michel MZ **448**
Dore C *see* Holdcroft A **462P**
Dorrington KL *see* Talbot NP **592**
Drain A *see* Murali B **739**
Draper A *see* Pearse RM **913**
Droghetti L *see* Usha N **760**
Drummond GB New concepts in respiratory function: *editorial* **1**
Drummond GB The abdominal muscles in anaesthesia and after surgery **73**
Drury PME Cholera, Chloroform, and the Science of Medicine: A Life of John Snow: *book review* **768**
Du Manoir B, Aubrun F, Langlois M, Le Guern ME, Alquier C, Chauvin M and **Fletcher D** Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery **836**
Dualé C, Frey C, Bolandard F, Barrière A and **Schoeffler P** Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section **690**
Ducouret P *see* Haelewyn B **390**
Dueck M *see* Paul M **601**
Dunbar SA and **Karamian IG** Cross-tolerance between spinal neostigmine and morphine in the rat **427**
Dunning J *see* Murali B **739**
Duran E *see* Canbaz S **158**
Dutta D *see* Pandit **733**
Duvaldstin P *see* Streich B **793**

Eastwood PR *see* Hillman DR **31**
Eba JM *see* Barvais L **347**
Eberle B *see* Markstaller K **699**; Mills GH **16**
Edwards DJ *see* Nirmalan M **224**
Eidelman LA *see* Kogan A **214**
Eikermann M *see* Breitfeld C **218**
El-Beheiry H *see* McGuire G **651**; Vesely A **787**
Elliott RA *see* Lake APJ **447**
Emamdee RI, Hale S, Pal SK, Lockwood GG and **White DC** Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **464P**
Emembolu J *see* Ng A **463P**
Engelman E *see* Barvais L **347**
Enlund M *see* Dimpel L **605**
Erb C *see* Wiel E **421**

Erden V, Basaranoglu G, Delatioglu H and **Hamzaoglue NS** Relationship of difficult laryngoscopy to long-term non-insulin-dependent diabetes and hand abnormality detected using the 'prayer sign': *correspondence* **159**
Esler MD, Randhawa N, Orme RML'E and **Berg SJ** The 'swoosh' test—an evaluation of a modified 'whoosh' test in children: *correspondence* **157**
Ewert P *see* Nagdyman N **438**

Farling P *see* Morris C **301**
Farmery AD *see* Hahn CEW **2**
Fawcett WJ and **Stone JP** Recurarization in the recovery room following the use of magnesium sulphate **435**
Fawcett WJ Drugs for Pain: *book review* **454**
Fayoux P *see* Wiel E **421**
Fee JPH *see* Russell JC **463P**
Feiss P *see* Nathan N **493**
Ferguson A The History of Anesthesia: *book review* **305**
Fernández-Galinksi S *see* Trillo-Urrutia L **290**
Fernández-Guisasola J *see* Lanigan LP **152**
Ferrante M *see* Markstaller K **699**
Ferraro L *see* Bianconi M **830**
Fervienza P *see* Cosío F **430**
Fiege M *see* Gerbershagen MU **281**
Fieset P *see* Plourde G **583**
Filipovic M *see* Skarvan K **473**
Fisher JA *see* Vesely A **787**
Fleck TPK *see* Nagdyman N **438**
Fletcher D *see* Du Manoir B **836**
Fogarty Mack P *see* Ivascu Brown N **752**
Font S *see* Plourde G **583**
Ford RPA *see* Olympio MA **312**
Franks NP *see* Sanders RD **709**
Frey C *see* Dualé C **690**
Fuchs J *see* Schummer W **481**
Funke F *see* Schummer W **481**

Gadalla F *see* Dhar P **432**
Galletly DC *see* Larsen PD **184**
Galley HF, Lowe PR, Carmichael RL and **Webster NR** Genotype and interleukin-10 responses after cardiopulmonary bypass **424**
Gandimathi K *see* Russell JC **463P**
Ganter M and **Zollinger A** Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
Garcia C *see* Zaugg M **566**
Garcia del Valle S *see* Lanigan LP **152**
Garrioch MA *see* Nicholl SJB **921**
Gautier P, De Kock M, Huberty L, Demir T, Izydorczic M and **Vanderick B** Comparison of the effects of intrathecal ropivacaine, levobupivacaine, and bupivacaine for Caesarean section **684**
Gaylard D and **Roberts DRD** Hyperlordosis: *corrsespondence* **609**
Gelb AW *see* Schneider G **329**
Georgopoulos D *see* Kondili E **106**
Gérard JL *see* Haelewyn B **390**
Gerbershagen MU, Wappler F, Fiege M, Kolodzie K, Weißhorn R, Szafarczyk W, Kudlik C and **Schulte am Esch J** Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**
Ghaly RG Pain Medicine—A Comprehensive Review: *book review* **765**
Gibb CB *see* Dhar P **432**
Gillies DF *see* Lam YF **467P**
Gilsbach JM *see* Rohde V **487**
Girdler NM *see* Wilson KE **850**
Girling K *see* Knight DJW **445**
Glavin R and **Greaves D** The problem of coordinating simulator-based instruction with experience in the real workplace: *editorial* **309**
Glynn C *see* Goebel A **610**
Goebel A, Ovenden K and **Glynn C** Incorrect distance markings on an epidural catheter: *correspondence* **610**
Gómez-Arnau JI *see* Lanigan LP **152**
González A *see* Lanigan LP **152**
Goodwin D *see* Smith A **319**
Gordin V *see* Cronin AJ **805**
Gratton N *see* Mostafa SM **815**
Gravenstein D *see* Liem EB **408**
Greaves D *see* Glavin R **309**
Grice AS, Picton P and **Deakin CDS** Study examining attitudes of staff, patients and relatives to witnessed resuscitation in adult intensive care units **820**
Griffin J, Terry BE, Burton RK, Ray TL, Keller BP, Landrum AL, Johnson JO and **Tobias JD** Comparison of end-tidal and transcutaneous measures of carbon dioxide during general anaesthesia in severely obese adults **498**
Grimsmo B *see* Hoymork SC **773**
Grocott HP *see* Mackensen GB **656**
Groeben H, Meier S, Tankersley CG, Mitzner W and **Brown RH** Heritable differences in respiratory drive and breathing pattern in mice during anaesthesia and emergence **541**
Groom P *see* Lam YF **467P**
Grounds RM *see* Pearse RM **913**
Guberti A *see* Bianconi M **830**
Guler T *see* Unlugenc H **209**
Gunes Y *see* Unlugenc H **209**
Gupta AK *see* Johnston AJ **781**
Gupta R, McBride WT, McLay J, McMurray TJ and **Armstrong MA** Methylprednisolone reduces TNF-α-mediated HK_2 cell necrosis: *abstract* **462P**
Gustaffson U *see* Cook TM **155**
Gustorff B, Hoerauf KH, Lierz P and **Kress HG** Comparison of different quantitative sensory testing methods during remifentanil infusion in volunteers **203**
Guttmann J *see* Lichtwarck-Aschoff M **239**

Hackner C, Detsch O, Schneider G, Jelen-Esselborn S and **Kochs E** Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**
Haelewyn B, Yvon A, Hanouz JL, MacKenzie ET, Ducouret P, Gérard JL and **Roussel S** Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**
Hahn CEW and **Farmery AD** Gas exchange modelling: no more gills, please **2**
Haines JR *see* Tierney JN **461P**
Hale S *see* Emamdee RI **464P**
Hall JE *see* Stacey MR **299**
Halliday HL *see* Long CP **514**
Halligan M *see* Wong P **757**
Halsall PJ *see* Johi RR **744**
Hammond CJ *see* Lanigan LP **152**
Hammond JS and **Laurence AS** Theatre workload in a field hospital during Gulf War 2: *abstract* **458P**
Hammond JS *see* Laurence JS **459P**
Hamoir EE *see* Joris JL **857**
Hamzaoglue NS *see* Erden V **159**
Hancock SM *see* Abaza KT **464P**
Hanouz JL *see* Haelewyn B **390**
Hardman JG Making Sense of Lung Function Tests: *book review* **611**
Hardy R *see* Cook TM **678**
Harrison GR, Critchley ADJ, Mayhew CA and **Thompson JM** Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study
Hasan A *see* Nouraei SM **292**
Hase M *see* Narimatsu E **911**
Havard TJ *see* Rocker M **760**
Heavner JE, Kaye AD, Lin B-K and **King T** Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia **502**
Hedenstierna G *see* Lichtwarck-Aschoff M **239**
Helmer A *see* Lichtwarck-Aschoff M **239**
Hemmerling TM, Michaud G, Deschamps S, Trager G and **Saitoh Y** Monitoring neuromuscular blockade in diabetic patients using electromyography: an opportunity missed: *correspondence* **608**
Hempelmann G *see* Menzebach A **546**
Heneghan C Law for Doctors: Principles and Practicalities: *book review* **456**
Herrero R *see* Serradell A **519**

Herrmann S *see* Schummer W **481**
Hickman Casey JMI *see* Nicholl SJB **921**
Higgins T *see* Park GR **577**
Hillman DR, Platt PR and **Eastwood PR** The upper airway during anaesthesia **31**
Hinchliffe D *see* Ovassapian A **154**
Hirota K *see* Kabara S **379**
Hirota K *see* Timmins A **446**
Hirsch J *see* Menzebach A **546**
Hoepstein M *see* Kreuer S **336**
Hoerauf KH *see* Gustorff B **203**
Hofer CK, Zollinger A, Büchi S, Klaghofer R, Serafino D, Bühlmann S, Buddeberg C, Pasch T and **Spahn DR** Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalation anaesthesia **631**
Holdcroft A, Dore C and **Maze M** Cannabis in postoperative pain: a dose finding study: *abstract* **462P**
Hope T *see* Sherman R **273**
Hopkins PM *see* Johi RR **744**
Hopkinson RB Raising the Standard: Information for Patients: *book review* **456**
Horta ML and **Vianna PTG** Effect of intravenous alizapride on spinal morphine-induced pruritus **287**
Hoymork SC, Raeder J, Grimsmo B and **Steen PA** Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil for laparoscopic surgery **773**
Huang YC *see* Kao MC **451**
Huberty L *see* Gautier P **684**
Hubmayr RD *see* de Chazal I **81**
Hughes RC *see* Stacey MR **299**
Hunter JM *see* Raw DA **886**
Hynynen M *see* Purhonen S **284**

Ickx BE, Bepperling F, Melot C, Schulman C and **Van der Linden PJ** Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**
Idris N *see* Unnikrishnan D **747**
Irving M *see* Rocker M **760**
Irwin MG *see* Wong AYC **762**
Ishihara H *see* Kabara S **379**
Ishikawa S, *see* Pfitzner J **153**
Isik G *see* Unlugenc H **209**
Ivascu Brown N, Fogarty Mack P, Mitera DM and **Dhar P** Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy **752**
Izydorczic M *see* Gautier P **684**

Jacobs S *see* De Baerdemacker LEC **638**
Jafarmadar M *see* Pelinka LE **595**
Jaggar SI *see* Wattie ML **449**
Jaitly V and **di Vadi PP** Efficacy of intravenous magnesium in neuropathic pain: *correspondence* **302**
Jelen-Esselborn S *see* Hackner C **580**
Jiménez LJ *see* Cosío F **430**
Jinks SL *see* Antognini JF **233**
Johi RR, Mills R, Halsall PJ and **Hopkins PM** Anaesthetic management of coronary artery bypass **744**
John UR *see* Sanehi O **608**
Johnson JO *see* Griffin J **498**
Johnston AJ, Steines LA, Chatfield DA, Coleman MR, Coles JP, Al-Rawi PG, Menon DK and **Gupta AK** Effects of propofol on cerebral oxygenation and metabolism after head injury **781**
Jones DS *see* Long CP **514**
Jones JG *see* Nouraei SAR **175**
Joris JL, Poth NJ, Djamadar AM, Sessler DI, Hamoir EE, Defêchereux TR, Meurisse MR and **Lamy ML** Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**
Justins D Atlas of Uncommon Pain Syndromes: *book review* **454**

Kabara S, Hirota K, Yoshioka H, Kudo T, Ishihara H and **Matsuki A** Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs **379**
Kaisers U, Kelly KP and **Busch T** Liquid ventilation **143**
Kaki AM *see* Alhashemi JA **536**
Kalkman CJ *see* Schneider G **905**
Kampe S *see* Paul M **601**
Kao MC, Lin SM, Yu YS, Huang YC, Ting CK and **Tsai SK** Knotted continuous cardiac output thermodilution catheter diagnosed by intraoperative transoesophageal echocardiography: *correspondence* **451**
Kao SC, Chang WK, Pong MW, Cheng KW, Chan KH and **Tsai SK** Welded tracheal stent removal in a child under cardiopulmonary bypass **294**
Karamian IG *see* Dunbar SA **427**
Karmrodt J *see* Markstaller K **699**
Karsli C *see* Wilson-Smith E **190**
Kauczor H-U *see* Markstaller K **699**
Kawamata M *see* Narimatsu E **911**
Kawati R *see* Lichtwarck-Aschoff M **239**
Kaye AD *see* Heavner JE **502**
Kazama T *see* Kurita T **871**
Keller BP *see* Griffin J **498**
Keller C *see* Stacey MR **299**
Kelly KP *see* Kaisers U **143**
Kemmotsu O *see* Takita K **385**
Kenny GN *see* Barvais L **347**
Kenny GNC *see* Absalom A **507**
Kevin LG and **Seigne P** Practical Perioperative Transoesphageal Echocardiography: *book review* **927**
Khater M *see* Lake APJ **447**
Kieffer BL *see* Romberg R **862**
Kilner AJ *see* Ryan DW **925**
King D, Shlugman D, Satya-Krishna R and **Loh L** Preventing bleeding complications in percutaneous tracheostomy—another role for portable ultrasound in intensive care: *correspondence* **607**
King T *see* Heavner JE **502**
Kirkpatrick JNP *see* Nicholl SJB **921**
Klaghofer R *see* Hofer CK **631**
Klineberg PL *see* Aveling W **301**
Knaggs AL, Delis K, Mason P and **Macleod K** Monitoring venous haemodynamics in the lower limb during abdominal surgery: flow attenuation counteracted by enhanced flow pulsatility: *abstract* **466P**
Kneeshaw J *see* Swanevelder J **469**
Knight DJW, Selwyn D, Girling K, Lakshmanan S, Saha B, Rittoo D, Pravinkumar E and **Webster NR** HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **445**
Kochs E *see* Hackner C **580; Schneider G 329**
Kochs EF *see* Schneider G **905**
Kogan A, Eidelman LA, Raanani E, Orlov B, Shenkin O and **Vidne BA** Nausea and vomiting after fast-track cardiac anaesthesia **214**
Kohase G *see* Win NN **749**
Kokki H *see* Laisalmi M **800**
Kolodzie K *see* Gerbershagen MU **281**
Kondili E, Prinianakis G and **Georgopoulos D** Patient–ventilator interaction **106**
Kreitschmann-Andermahr I *see* Rohde V **487**
Kress HG *see* Gustorff B **203**
Kreuer S, Bruhn J, Larsen R, Hoepstein M and **Wilhelm W** Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
Krombach GA *see* Rohde V **487**
Kudlik C *see* Gerbershagen MU **281**
Kudo T *see* Kabara S **379**
Kumar A *see* Lees G **460P**
Kumar A, Lees G, Adwedaa E, Coyne L and **Williamson M** Comparison of block by lidocaine and ketamine at the hypothesized local anaesthetic binding site in the voltage gated sodium channel: *abstract* **459P**
Kuppe H *see* Schneider G **905**
Kurimoto Y *see* Narimatsu E **911**
Kurita T, Morita K, Kazama T and **Sato S** Comparison of Isoflurane and propofol–fentanyl anaesthesia in a swine model of asphyxia **871**
Kushikata T *see* Timmins A **446**

Lacroix F *see* Nathan N **493**
Ladra A *see* Paul M **601**
Lai M *see* Ranasinghe JS **299**
Laisalmi M, Soikkeli A, Hokki H, Markkanen H, Yli-Hankala A, Rosenberg P and **Lindgren L** Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**
Lake APJ *see* Nicholl SJB **921**
Lake APJ, Khater M, Moore JK and **Elliott RA** Propofol and halothane *versus* sevoflurane in paediatric day-case surgery: *correspondence* **447**
Lakshmanan S *see* Knight DJW **445**
Lal A *see* Absalom A **507**
Lallemand M-A, Lentschener C, Mazoit J-X, Bonnichon P, Manceau I and **Ozier Y** Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
Lam YF, Gillies DF, Rueckert D, Charters P, Groom P and **Roughley S** Obtaining corresponding landmarks of the human mandible: *abstract* **467P**
Lambert DG Opioid Research: Methods and Protocols: *book review* **766**
Lamy ML *see* Joris JL **857**
Landrum AL *see* Griffin J **498**
Lange PE *see* Nagdyman N **438**
Langlois M *see* Du Manoir B **836**
Lanigan LP, Hammond CJ, Mather C, McSwiney M, Gómez-Arnau JI, Yangüela J, González A, Garcia del Valle S and **Fernández-Guisasola J** Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
Lansade A *see* Nathan N **493**
Larsen PD, Tzeng YC and **Galletly DC** Quantal ventilatory variability during spontaneous breathing anaesthesia **184**
Larsen R *see* Kreuer S **336**
Lassnigg A *see* Canbaz S **158**
Lattuada M *see* Lichtwarck-Aschoff M **239**
Lauber R *see* Bergadano A **276**
Laurence AS *see* Hammond JS **458P**
Laurence JS and **Hammond JS** Theatre case mix in a field hospital during Gulf War 2: *abstract* **459P**
Lavery GG *see* Russell JC **463P**
Lawes EG Hidden hazards and dangers associated with the use of HME/filters in breathing circuits. Their effect on toxic metabolite production, pulse oximetry and airway resistance **249**
Lawrence C *see* Wong P **757**
Laws D *see* Lees G **460P**
Le Guern ME *see* Du Manoir B **836**
Lebrun F *see* Derrode N **842**
Lees G *see* Kumar A **459P**
Lees G, Kumar A, Adwedaa E, Laws D and **Williamson M** The sleep lipid *cis* 9,10-octadecenoamide (cOA) blocks native neural voltage-gated Na^+ channels (VGSCs) but not recombinant VGSCs in oocytes: *abstract* **460P**
Lentschener C *see* Lallemand M-A **341**
Leonardi S *see* Sigston P **923**
Levron J-C *see* Derrode N **842**
Lichtwarck-Aschoff M, Helmer A, Kawati R, Lattuada M, Sjöstrand UH, Zügel N, Guttmann J and **Hedenstierna G** Good short-term agreement between measured and calculated tracheal pressure **239**
Licker M, Spiliopoulos A and **Tschopp JM** Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**
Liem EB, Bjoraker DG and **Gravenstein D** New options for airway management: intubating fibreoptic stylets **408**
Lierz P *see* Gustorff B **203**
Lim TA A novel method of deriving the effect compartment equilibrium rate constant for propofol **730**
Lin B-K *see* Heavner JE **502**
Lin SM *see* Kao MC **451**
Lindgren L *see* Laisalmi M **800**
Linsley A *see* Rocker M **760**
Little RA *see* Nirmalan M **224**
Lockwood GG *see* Emamdee RI **464P**; White DC **465P**
Loh L *see* King D **607**
Long CP, McCafferty DF, Sittlington NM, Halliday HL, Woolfson AD and **Jones DS** Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture **514**
Lorenz C *see* Breitfeld C **218**
Lowe PR *see* Galley HF **424**
Lozano A *see* McGuire G **651**
Lucchinetti E *see* Zaugg M **551**; Zaugg M **566**
Luginbuehl I *see* Wilson-Smith E **190**
Lyons GR *see* Saravanan S **368**
López-Olaondo L *see* Pueyo FJ **589**

Mackensen GB, Ti LK, Phillips-Bute BG, Mathew JP, Newman MF, Grocott HP and the **Neurologic Outcome Research Group (NORG)** Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**
MacKenzie ET *see* Haelewyn B **390**
Mackenzie M and **MacLeod K** Repeated inadvertent endobronchial intubation during laparoscopy **297**
Mackenzie SJ Should perioperative management target oxygen delivery?: *editorial* **615**
Mackinlay C *see* Roche RJ **419**
Macleod K *see* Knaggs AL **466P**; Mackenzie M **297**
Macrae WA Atlas of Pain Injection Techniques: *book review* **765**
Maddock H and **Columb M** Saunders Manual of Critical Care: *book review* **455**
Magnusson L and **Spahn DR** New concepts of atelectasis during general anaesthesia **61**
Mahajan R, de Beer DAH and **Thomas ML** Caudal neostigmine in children: *correspondence* **761**
Mahajan R, Metz S and **Beattie C** Simple tracheal tube—ana alternative to the modified nasal trumpet: *correspondence* **759**
Mahajan RP *see* Abaza KT **464P**; Moppett IK **353**; Sherman R **273**
Makita K *see* Pfitzner J **153**
Mallick A and **Bodenham AR** Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**
Manceau I *see* Lallemand M-A **341**
Manninen P *see* McGuire G **651**
Mapleson WW *see* Nickalls RWD **170**
Markkanen H *see* Laisalmi M **800**
Markstaller K, Kauczor H-U, Weiler N, Karmrodt J, Doebrich M, Ferrante M, Thelen M and **Eberle B** Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
Martikainen TJ *see* Tenhunen JJ **878**
Martindale M, Worsley M, Thomas M and **de Beer D** Caudal additives in children—solutions or problems?: *correspondence* **300**
Masdeu J *see* Serradell A **519**
Mason P *see* Knaggs AL **466P**
Massari L *see* Bianconi M **830**
Mastan M *see* Sinton I **302**
Mather C *see* Lanigan LP **152**
Mather CM *see* Nicholl SJB **921**
Mathew JP *see* Mackensen GB **656**
Matsuki A *see* Kabara S **379**
Matthew HWD *see* Romberg R **862**
Mayhew CA *see* Harrison GR **797**
Maze M *see* Holdcroft A **462P**; Sanders RD **709**
Mazoit J-X *see* Lallemand M-A **341**
Mazoit JX *see* Tortosa JC **532**
McBride WT *see* Gupta R **462P**; Russell JC **463P**
McCafferty DF *see* Long CP **514**
McCormick B *see* Cook TM **373**
McDouall SF, Campbell RC, Tasker RC, Smart JR and **Bradbury NS** Clinical alert: failure in face mask seal as a consequence of incorrect face mask assembly: *correspondence* **924**
McGuire G, El-Beheiry H, Manninen P, Lozano A and **Wennberg R** Activation of electrocorticographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**
McKenzie AG Careers in Anesthesiology. Autobiographical Memoirs. Vol VII: *book review* **304**
McKinstry C *see* Cook TM **678**
McLaughlin A *see* Roche RJ **419**
McLay J *see* Gupta R **462P**
McMurray TJ *see* Gupta R **462P**
McNamee DA *see* Cook TM **155**
McSwiney M *see* Lanigan LP **152**
Meier S *see* Groeben H **541**

Melot C *see* Ickx BE **196**
Menon DK *see* Johnston AJ **781**
Menzebach A, Hirsch J, Hempelmann G and **Welters ID** Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**
Mercier FJ *see* Tortosa JC **532**
Metz S *see* Mahajan R **759**
Meurisse MR *see* Joris JL **857**
Michaud G *see* Hemmerling TM **608**
Michel MZ, Sanders MK, Dolin SJ and **Cashman J** Effectiveness of acute postoperative pain management: *correspondence* **448**
Milligan KR *see* Cook TM **155**
Mills GH, Wild JM, Eberle B and **Van Beek EJR** Functional magnetic resonance imaging of the lung **16**
Mills R *see* Johi RR **744**
Mitera DM *see* Ivascu Brown N **752**
Mitzner W *see* Groeben H **541**
Miyamoto T *see* Win NN **749**
Moens Y *see* Bergadano A **276**
Moncho JM *see* Serradell A **519**
Moody P *see* Sherman R **273**
Moore JK *see* Lake APJ **447**
Moppett IK, Davies JA and **Mahajan RP** Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**
Morimoto Y *see* Takita K **385**
Morita A *see* Kurita T **871**
Morris C and **Farling P** Remifentanil slows more than seizures: *correspondence* **301**
Morris JF *see* Pandit **733**
Mort M *see* Smith A **319**
Mortier EP *see* Baerdemacker LEC **638**
Mostafa SM, Bhandari S, Ritchie G, Gratton N and **Wenstone R** Constipation and its implications in the critically ill patient
Mouliès *see* Nathan N **493**
Munsterhjelm E, Niemi TT, Syrjälä MT, Ylikorkala O and Rosenberg PH Propacetamol augments inhibition of platelet function by diclofenac in volunteers **357**
Murali B, Drain A, Seller D, Dunning J and **Vuylsteke A** Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**
Murthy BVS Anaesthesia: a Comprehensive Review: *book review* **928**
Mustonen P *see* Purhonen S **284**

Nagdyman N, Fleck TPK, Ewert P, Abdul-Khaliq H, Redlin M and **Lange PE** Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**
Nahm W *see* Schneider G **905**
Nakatani T *see* Shono A **825**
Nakazawa K *see* Pfitzner J **153**
Namiki A *see* Narimatsu E **911**
Narimatsu E, Kawamata M, Hase M, Kurimoto Y, Asai Y and **Namiki A** Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty **911**
Nathan N, Tabaraud F, Lacroix F, Mouliès D, Viviand X, Lansade A, Terrier G and **Feiss P** Influence of propofol concentrations on multipulse transcranial motor evoked potentials **493**
Navickis RJ *see* Vincent J-L **625**
Navsaria H *see* Pal SK **461P**
Neurologic Outcome Research Group (NORG) *see* Mackensen GB **656**
Newman MF *see* Mackensen GB **656**
Ng A *see* Sigston P **923**
Ng A, Temple A, Smith G and **Emembolu J** Early analgesic effects of parecoxib *vs* ketorolac following laparoscopic sterilization: *abstract* **463P**
Ng L and **Chambers N** Postoperative pseudoepileptic seizures in a known epileptic: complications in recovery **598**
Nicholl SJB, Hickman Casey JMI, Lake APJ, Puvanachandra K, Mather CM, Kirkpatrick JNP, Canavan K, Dark A and **Garrioch MA** Sub-Tenon's administration of local anaesthetic: a review of the technique: *correspondence* **921**
Nickalls RWD and **Mapleson WW** Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
Niemi TT *see* Munsterhjelm E **357**
Nihoyannopoulos P *see* Swanevelder J **469**
Nikanne E *see* Viitanen H **363**
Niraj G, Puri GD, Arun D, Chakravarty V, Aveek J and **Chari P** Assessment of intraoperative blood transfusion practice during elective non-cardiac surgery in an Indian tertiary care hospital **586**
Nirmalan M, Willard T, Edwards DJ, Dark P and **Little RA** Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**
Niskanen M *see* Purhonen S **284**
Nomura R *see* Adachi T **160**
Norris A *see* Ovassapian A **154**
Nouraei SAR, de Pennington N, Jones JG and **Carpenter RHS** Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making **175**
Nouraei SM, Wallis JP, Bolton D and **Hasan A** Management of transfusion-related acute lung injury with extracorporeal cardiopulmonary support in a four-year-old child **292**

O'Shea D *see* Crowe S **924**
Ojeh K *see* Pal SK **461P**
Olympio MA, Whelan R, Ford RPA and **Saunders ICM** Failure of simulation training to change residents' management of oesophageal intubation **312**
Orlov B *see* Kogan A **214**
Orme RML'E *see* Esler MD **157**
Ortega A *see* Pueyo FJ **589**
Ovassapian A, Norris A and **Hinchliffe D** Management of failed intubation in a septic parturient: *correspondence* **154**
Ovenden K *see* Goebel A **610**
Ozalevli M *see* Unlugenc H **209**
Ozier Y *see* Lallemand M-A **341**

Pal SK, Ojeh K and **Navsaria H** Human respiratory epithelial culture: towards an in-vitro model of inhalation injury: *abstract* **461P**
Pal SK *see* Emamdee RI **464P**
Pandit JJ, Dutta D and **Morris JF** Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**
Panikkar K *see* Roche RJ **419**
Park GR, Wilkins M and **Higgins T** Brain stem death and organ donation—11 years on **577**
Parker CJR Consent in Clinical Practice: *book review* **612**
Parry NS *see* Tortosa JC **532**
Pasch T *see* Hofer CK **631**; Zaugg M **551**; Zaugg M **566**
Patel C and **Diba A** Measuring tracheal airway pressures during transtracheal jet ventilation: *abstract* **460P**
Patey RE *see* Strachan LM **450**
Pattyn P *see* De Baerdemacker LEC **638**
Paul M, Dueck M, Kampe S, Petzke F and **Ladra A** Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery **601**
Pawar DK *see* Bhatia A **467P**
Pearce A *see* Wong P **757**
Pearse RM, Draper A and **Grounds RM** Non-invasive ventilation to avoid tracheal intubation in a patient with Gullain-Barré syndrome **913**
Pelinka LE, Szalay L, Jafarmadar M, Schmidhammer R, Redl H and **Bahrami S** Circulating S100B is increased after bilateral femur fracture without brain injury in the rat **595**
Perney C *see* Streich B **793**
Peters J *see* Breitfeld C **218**
Petzke F *see* Paul M **601**
Pfitzner J, Ishikawa S, Nakazawa K and **Makita K** Acute lung injury following one-lung anaesthesia: *correspondence* **153**
Phillips-Bute BG *see* Mackensen GB **656**
Picton P *see* Grice AS **820**
Pierre Lena ML *see* Wattie ML **449**
Platt PR *see* Hillman DR **31**
Plourde G, Chartrand D, Fieset P, Font S and **Backman SB** Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
Pong MW *see* Kao SC **294**
Pope C *see* Smith A **319**
Poppers PJ *see* Adsumelli RSN **695**

Porter MV *see* Cook RM **672**
Poth NJ *see* Joris JL **857**
Prabhu A *see* Vesely A **787**
Pravinkumar E *see* Knight DJW **445**
Pravinkumar E *see* Saad RA **606**
Preiss D *see* Vesely A **787**
Price G Metformin lactic acidosis, acute renal failure, and rofecoxib **909**
Prinianakis G *see* Kondili E **106**
Proquitté H, Rüdiger M, Wauer RR and **Schmalisch G** Breathing gas perfluorocarbon measurements using an absorber filled with zeolites **736**
Pueyo FJ, L•CC•pez-Olaondo L, Sanchez-Ledesma MJ, Ortega A and **Carrascosa F** Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**
Purhonen S, Niskanen M, Wüstefeld M, Mustonen P and **Hynynen M** Supplemental oxygen for prevention of nausea and vomiting after breast surgery **284**
Puri GD *see* Niraj G **586**
Puvanachandra K *see* Nicholl SJB **921**

Qayoum Dar A *see* Saravanan S **368**

Raanani E *see* Kogan A **214**
Raeder J *see* Hoymork SC **773**
Raimes SA *see* Rocker M **760**
Ranasinghe JS, Steadman J, Toyama T and **Lai M** Combined spinal epidural anaesthesia is better than spinal or epidural alone for Caesarean delivery: *correspondence* **299**
Randhawa N *see* Esler MD **157**
Rassam S, Southern D and **Turner J** Avoiding oesophageal ventilation with the intubating laryngeal mask airway: predictive value of the air aspiration test compared with capnography: *correspondence* **758**
Raw D *see* Tierney JN **461P**
Raw DA, Beattie JK and **Hunter JM** Anaesthesia for spinal surgery in adults **886**
Ray TL *see* Griffin J **498**
Redl H *see* Pelinka LE **595**
Redlin M *see* Nagdyman N **438**
Reinhart K *see* Schummer W **481**
Ricci R *see* Bianconi M **830**
Ritchie G *see* Mostafa SM **815**
Rittoo D *see* Knight DJW **445**
Robbins PA *see* Talbot NP **592**
Roberts DRD *see* Gaylard D **609**
Robinson APC *see* Saravanan S **368**
Roche RJ, Mackinlay C, McLaughlin A, Panikkar K and **Young JD** New method to evaluate the practice of positive pressure ventilation in intensive care units **419**
Rocker M, Havard TJ, Wagle A, Chandrashekar MV, Irving M, Wayman J, Raimes SA and **Linsley A** Early extubation after two-stage oesophagectomy: *correspondence* **760**
Rohde V, Krombach GA, Baumert JH, Kreitschmann-Andermahr, I, Weinzierl M and **Gilsbach JM** Measurement of motor evoked potentials following repetitive magnetic motor cortex stimulation during isoflurane or propofol anaesthesia **487**
Rollin A-M *see* Schmidt I **453**
Romberg R, Sarton E, Teppema L, Matthes HWD, Kieffer BL and **Dahan A** Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
Rosenberg P *see* Laisalmi M **800**
Rosenberg PH *see* Munsterhjelm E **357**
Roughley S *see* Lam YF **467P**
Roussel S *see* Haelewyn B **390**
Rüdiger M *see* Proquitté H **736**
Rueckert D *see* Lam YF **467P**
Ruiz P *see* Carli F **162**
Ruokonen E *see* Tenhunen JJ **878**
Russell JC, Allen SJ, Gandimathi K, Armstrong MA, Lavery GG, Fee JPH and **McBride WT** The association between elevations in urinary cytokines and renal dysfunction after trauma and major surgery: *abstract* **463P**
Ryan DW and Kilner AJ Another death after percutaneous dilational tracheostomy: *correspondence* **925**

Saad RA, Pravinkumar E and **Webster NR** HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **606**
Saha B *see* Knight DJW **445**
Saitoh Y *see* Hemmerling TM **608**
Sakura S *see* Shono A **825**
Salto Y *see* Shono A **825**
Sanchez-Ledesma MJ *see* Pueyo FJ **589**
Sanders MK *see* Michel MZ **448**
Sanders RD, Franks NP and **Maze M** Xenon: no stranger to anaesthesia **709**
Sanehi O, John UR and **Van Aken H** Near-patient testing: *correspondence* **608**
Santos JA *see* Serradell A **519**
Saravanan S, Robinson APC, Qayoum Dar A, Columb MO and **Lyons GR** Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section **368**
Sarton E *see* Romberg R **862**
Sasano H *see* Vesely A **787**
Sasano N *see* Vesely A **787**
Sato S *see* Kurita T **871**
Satya-Krishna R *see* King D **607**
Saunders DA Medical Statistics Made Clear: an Introduction to Basic Concepts: *book review* **766**
Saunders ICM *see* Olympio MA **312**
Saunders TA *see* Adsumelli RSN **695**
Schabel JE *see* Adsumelli RSN **695**
Schatzmann U *see* Bergadano A **276**
Schaub MC *see* Zaugg M **551**
Schaub MC *see* Zaugg M **566**
Schmalisch G *see* Proquitté H **736**
Schmeller B *see* Schneider G **329**
Schmidhammer R *see* Pelinka LE **595**
Schmidt I and **Rollin A-M** Fundamentals of Anaesthesia: *book review* **453**
Schneider G, Gelb AW, Schmeller B, Tschakert R and **Kochs E** Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
Schneider G, Nahm W, Kochs EF, Bischoff P, Kalkman CJ, Kuppe H and **Thornton C** Quality of perioperative AEP—variability of expert ratings **905**
Schneider G *see* Hackner C **580**
Schoeffler P *see* Dualé C **690**
Schuler HG *see* Cronin AJ **805**
Schulman C *see* Ickx BE **196**
Schulte am Esch J *see* Gerbershagen MU **281**
Schummer C *see* Schummer W **481**
Schummer W, Herrmann S, Schummer C, Funke F, Steenbeck J, Fuchs J, Uhlig T and **Reinhart K** Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters **481**
Schupp M *see* Taneja R **756**
Sear JW Pharmacology: *book review* **762**
Seeberger M *see* Skarvan K **473**
Seigne P *see* Kevin LG **927**
Seller D *see* Murali B **739**
Selwyn D *see* Knight DJW **445**
Serafino D *see* Hofer CK **631**
Serradell A, Herrero R, Villanueva JA, Santos JA, Moncho JM and **Masdeu J** Comparison of three different volumes of mepivacaine in axillary plexus block using multiple nerve stimulation **519**
Sessler DI *see* Joris JL **857**
Shenkin O *see* Kogan A **214**
Shepherd DB *see* Turnbull DK **718**
Sherman R, Armory P, Moody P, Hope T and **Mahajan RP** Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study **273**
Shinomura T *see* Adachi T **160**
Shlugman D *see* King D **607**
Shono A, Sakura S, Salto Y, Doi K and **Nakatani T** Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
Sigston P, Yates D, Leonardi S, Ng A and **Smith G** Use of PCA morphine as the sole analgesic for postoperative pain relief after TAH: *correspondence* **923**

Singh S and **Smith JE** Cardiovascular changes after the three stages of nasotracheal intubation **667**
Singham S, Voss L, Barnard J and **Sleigh J** Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**
Sinton I, Mastan M and **Van Oldenbeek C** Digital ischaemia after ulnar artery cannulation: *correspondence* **302**
Sittlington NM *see* Long CP **514**
Sivasankar R *see* Stacey MR **299**
Sjöstrand UH *see* Lichtwarck-Aschoff M **239**
Skarvan K, Filipovic M, Wang J, Brett W and **Seeberger M** Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function **473**
Skinner A Systematic Reviews to Support Evidence-Based Medicine. How to Review and Apply Findings of Healthcare Research: *book review* **767**
Sleigh J *see* Clark J **810**
Sleigh J *see* Singham S **662**
Smart JR *see* McDouall SF **924**
Smith A, Goodwin D, Mort M and **Pope C** Expertise in practice: an ethnographic study exploring acquisition and use of knowledge in anaesthesia **319**
Smith D *see* Swanevelder J **469**
Smith G *see* Ng A **463P**; *see* Sigston P **923**
Smith JE Principles of Airway Managemen: *book review* **927**
Smith JE *see* Singh S **667**
Sneyd JR How low can we go?: *editorial* **771**
Soikkeli A *see* Laisalmi M **800**
Somogyi R *see* Vesely A **787**
Soni AK *see* Conacher ID **279**
Southern D *see* Rassam S **758**
Spahn DR *see* Hofer CK **631**; Magnusson L **61**; Zaugg M **566**
Spence AA "This is no Humbug!" Reminiscences of the Department of Anesthesia at the Massachusetts General Hospital: *book review* **611**
Spiliopoulos A *see* Licker M **525**
Stacey MR, Sivasankar R, Bahlmann UB, Hughes RC, Hall JE, Brimacombe J and **Keller C** Mechanical closure of the vocal cords with the Airway Management Device: *correspondence* **299**
Steadman J *see* Ranasinghe JS **299**
Steen PA *see* Hoymork SC **773**
Steenbeck J *see* Schummer W **481**
Steinberg ES *see* Adsumelli RSN **695**
Steiner LA *see* Johnston AJ **781**
Stenqvist O Practical assessment of respiratory mechanics **92**
Stone JP *see* Fawcett WJ **435**
Stone MD, Wilson RJT, Cross J and **Williams BT** Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**
Strachan LM, Patey RE, Casson WR and **Conacher ID** Anaesthesia and tracheobronchial stenting for central airway obstruction in adults: *correspondence* **450**
Streich B, Decailliot F, Perney C and **Duvaldstin P** Increased carbon dioxide absorption during retroperitoneal laparoscopy **793**
Struys MMRF *see* De Baerdemacker LEC **638**
Subramaniam R *see* Bhatia A **467P**
Sudarshan G *see* Conacher ID **279**
Sundaraj SR *see* Barrett NA **918**
Swanevelder J, Chin D, Kneeshaw J, Chambers J, Bennett S, Smith D and **Nihoyannopoulos P** Accreditation in transoesophageal echocardiography: statement from the Association of Cardiothoracic Anaesthetists and the British Society of Echocardiography Joint TOE Accreditation Committee: *editorial* **469**
Swanevelder JLC *see* Taneja R **756**
Sweeney B *see* Viby-Mogensen J **755**
Syrjälä MT *see* Munsterhjelm E **357**
Szafarczyk W *see* Gerbershagen MU **281**
Szalay L *see* Pelinka LE **595**

Tabaraud F *see* Nathan N **493**
Takita K, Morimoto Y and **Kemmotsu O** Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study **385**
Talbot NP, Robbins PA and **Dorrington KL** Release by hypoxia of a soluble vasoconstrictor from rabbit small pulmonary arteries **592**
Taneja R, Swanevelder JLC and **Schupp M** SIRS—a syndrome, disease or a chef d'oeuvre?: *correspondence* **756**
Tankersley CG *see* Groeben H **541**
Tasker RC *see* McDouall SF **924**
Teh BT *see* Chiu CL **742**
Temple A *see* Ng A **463P**
Tenhunen JJ, Martikainen TJ, Uusaro A and **Ruokonen E** Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock **878**
Teppema L *see* Romberg R **862**
Teppema LJ *see* Dahan A **40**
Terrier G *see* Nathan N **493**
Terry BE *see* Griffin J **498**
Thelen M *see* Markstaller K **699**
Thomas M *see* Martindale M **300**
Thomas ML *see* Mahajan R **761**
Thompson JM *see* Harrison GR **797**
Thornton C *see* Schneider G **905**
Ti LK *see* Mackensen GB **656**
Tierney JN, Haines JR, Cowan CM, Barclay PM and **Raw D** The effect of intrathecal clonidine anaesthesia on postoperative analgesia after Caesarean section: *abstract* **461P**
Timmins A, Hirota K and **Kushikata T** Preanaesthetic H_2 antagonists for acid aspiration pneumonia prophylaxis. Is there evidence of tolerance?: *correspondence* **446**
Ting CK *see* Kao MC **451**
Tobias JD *see* Griffin J **498**
Tortosa JC, Parry NS, Mercier FJ, Mazoit JX and **Benhamou D** Efficacy of augmentation of epidural analgesia for Caesarean section **532**
Toyama T *see* Ranasinghe JS **299**
Trager G *see* Hemmerling TM **608**
Traina GC *see* Bianconi M **830**
Trillo-Urrutia L, Fernández-Galinski S and **Castaño-Santa J** Awareness detected by auditory evoked potential monitoring **290**
Tsai SK *see* Kao MC **451**
Tsai SK *see* Kao SC **294**
Tschakert R *see* Schneider G **329**
Tschopp JM *see* Licker M **525**
Tuominen N *see* Viitanen H **363**
Turnbull DK and **Shepherd DB** Post-dural puncture headache: pathogenesis, prevention and treatment **718**
Turner J *see* Rassam S **758**
Twigg S *see* Cook TM **678**
Tzeng YC *see* Larsen PD **184**

Uecker M *see* Zaugg M **551**
Uhlig T *see* Schummer W **481**
Umino M *see* Win NN **749**
Unlugenc H, Ozalevli M, Gunes Y, Guler T and **Isik G** Pre-emptive analgesic efficacy of tramadol compared with morphine after major abdominal surgery **209**
Unnikrishnan D, Idris N and **Varshneya N** Complete heart block during central venous catheter placement in a patient with pre-existing left bundle brance block **747**
Usha N and **Droghetti L** Air embolism—a complication of percutaneous nephrolithotripsy: *correspondence* **760**
Uusaro A *see* Tenhunen JJ **878**

Vääräniemi H *see* Viitanen H **363**
Vallet B *see* Wiel E **421**
Van Aken H *see* Sanchi O **608**
Van Beek EJR *see* Mills GH **16**
Van der Linden PJ *see* Ickx BE **196**
Van Oldenbeek C *see* Sinton I **302**
Vanderick B *see* Gautier P **684**
Varshneya N *see* Unnikrishnan D **747**
Vesely A, Fisher JA, Sasano N, Preiss D, Somogyi R, El-Beheiry H, Prabhu A and **Sasano H** Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia **787**
Veyckemans F *see* Dieu JH **442**
Vianna PTG *see* Horta ML **287**
Viby-Mogensen J and **Sweeney B** Genes and outcome from anaesthesia: *correspondence* **755**

Vidne BA *see* Kogan A **214**
Viitanen H, Tuominen N, Vääräniemi H, Nikanne E and **Annila P** Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
Villanueva JA *see* Serradell A **519**
Vincent J-L, Wilkes MM and **Navickis RJ** Safety of human albumin—serious adverse events reported worldwide in 1998–2000 **625**
Viviand X *see* Nathan N **493**
Vockel T *see* Breitfeld C **218**
Voss L *see* Clark J **810; Singham S 662**
Vuylsteke A *see* Murali B **739**

Wagle A *see* Rocker M **760**
Wallis JP *see* Nouraei SM **292**
Walsh TS Recent advances in gas exchange measurement in intensive care patients **120**
Wang CY *see* Chiu CL **742**
Wang J *see* Skarvan K **473**
Wappler F *see* Gerbershagen MU **281**
Wattie ML, Jaggar SI, Pierre Lena ML and **Bonnet F** Sedative effects of morphine and clonidine: *correspondence* **449**
Wauer RR *see* Proquitté H **736**
Wayman J *see* Rocker M **760**
Webster NR Anaesthesia and Critical Care. An Exam Revision Companion: *book review* **767**
Webster NR Recent Advances in Anaesthesia and Intensive Care (22): *book review* **162**
Webster NR *see* Galley HF **424; *see*** Knight DJW **445; *see*** Saad RA **606**
Weiler N *see* Markstaller K **699**
Weinzierl M *see* Rohde V **487**
Weißhorn R *see* Gerbershagen MU **281**
Welbury RR *see* Wilson KE **850**
Welters ID *see* Menzebach A **546**
Wennberg R *see* McGuire G **651**
Wenstone R *see* Mostafa SM **815**
Westman L *see* Cook TM **155**
Whelan R *see* Olympio MA **312**
White D Uses of MAC: *editorial* **167**
White DC and **Lockwood GG** Can an anaesthetic action of atmospheric nitrogen be detected?: *abstract* **465P**
White DC *see* Emamdee RI **464P**
White M *see* Absalom A **507**
Wiel E, Davette M, Carpentier L, Fayoux P, Erb C, Chevalier D and **Vallet B** Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**
Wild JM *see* Mills GH **16**
Wildsmith JAW *see* Aveling W **301**
Wilhelm W *see* Kreuer S **336**
Wilkes AR The effect of gas flow on the filtration performance of breathing system filters: *abstract* **465P**
Wilkes AR The filtration performance of breathing system filters—a survey of filters available on the UK market: *abstract* **466P**
Wilkes MM *see* Vincent J-L **625**
Wilkins M *see* Park GR **577**
Willard T *see* Nirmalan M **224**
Williams BT *see* Stone MD **619**
Williamson M *see* Kumar A **459P; Lees G 460P**
Wilson KE, Girdler NM and **Welbury RR** Randomized, controlled, cross-over clinical trial comparing intravenous midazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**
Wilson RJT *see* Stone MD **619**
Wilson-Smith E, Karsli C, Luginbuehl I and **Bissonnette B** Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**
Win NN, Kohase G, Miyamoto T and **Umino M** Decreased bispectral index as an indicator of syncope before hypotension and bradycardia in two patients with needle phobia **749**
Wong AYC and **Irwin MG** Postdural puncture tinnitus: *correspondence* **762**
Wong P, Lawrence C, Pearce A, Charters P and **Halligan M** Intubation times for using the bonfils intubation fibrescope: *correspondence* **757**
Woolfson AD *see* Long CP **514**
Worsley M *see* Martindale M **300**
Wüstefeld M *see* Purhonen S **284**

Yangüela J *see* Lanigan LP **152**
Yates D *see* Sigston P **923**
Yli-Hankala A *see* Laisalmi M **800**
Ylikorkala O *see* Munsterhjelm E **357**
Yoshioka H *see* Kabara S **379**
Young JD *see* Roche RJ **419**
Yu YS *see* Kao MC **451**
Yvon A *see* Haelewyn B **390**

Zanoli G *see* Bianconi M **830**
Zaugg M, Lucchinetti E, Garcia C, Pasch T, Spahn DR and **Schaub MC** Anaesthetics and cardiac preconditioning. Part II. Clinical implications **566**
Zaugg M, Lucchinetti E, Uecker M, Pasch T and **Schaub MC** Anaesthetics and cardiac preconditioning. Part I. Signalling and cytoprotective mechanisms **551**
Zbinden A *see* Bergadano A **276**
Zollinger A *see* Ganter M **397**
Zollinger A *see* Hofer CK **631**
Zügel N *see* Lichtwarck-Aschoff M **239**

VOLUME 91 • SUBJECT INDEX

acid-base equilibrium, metabolic acidosis, SIRS—a syndrome, disease or a chef d'oeuvre?: *correspondence* **756**

adults, Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**

age factors, Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
Uses of MAC: *editorial* **167**

agonists serotenergic, DOI, Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**

airway, complications, Simple tracheal tube—an alternative to the modified nasal trumpet: *correspondence* **759**
TMJ assessment before anaesthesia: *correspondence* **757**
The upper airway during anaesthesia **31**

airway, difficult, New options for airway management: intubating fibreoptic stylets **408**

airway, management, Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy **752**

airway, obstruction, Circuit obstruction: *correspondence* **452**

airway, ventilation, Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia **672**

anaesthesia, Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
Genes and outcome from anaesthesia: *correspondence* **755**
Heritable differences in respiratory drive and breathing pattern in mice furing anaesthesia and emergence **541**
Perioperative management of a CADASIL type arteriopathy patient **442**
Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia **672**
Recurarization in the recovery room following the use of magnesium sulphate **435**
Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**
The abdominal muscles in anaesthesia and after surgery **73**

anaesthesia, audit, Use of nitrous oxide in anaesthesia: *correspondence* **605**

anaesthesia, cardiac 'fast-track', Nausea and vomiting after fast-track cardiac anaesthesia **214**

anaesthesia, day-case, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**

anaesthesia, dental, Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**

anaesthesia, depth, Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**

anaesthesia, education, Expertise in practice: an ethnographic study exploring acquisition and use of knowledge in anaesthesia **319**

anaesthesia general, Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
Anaesthesia for spinal surgery in adults **886**
Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
Cardiovascular changes after the three stages of nasotracheal intubation **667**
Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**
Postoperative pseudoepileptic seizures in a known epileptic: complications in recovery **598**
Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia **502**
Awareness detected by auditory evoked potential monitoring **290**
Supplemental oxygen for prevention of nausea and vomiting after breast surgery **284**

anaesthesia, geriatric, Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia **502**

anaesthesia, neuroprotection, Xenon: no stranger to anaesthesia **709**

anaesthesia, neurosurgical, Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery **601**

anaesthesia, obstetric, Efficacy of augmentation of epidural analgesia for Caesarean section **532**
Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
Combined spinal epidural anaesthesia is better than spinal or epidural alone for Caesarean delivery: *correspondence* **299**
Effect of intravenous alizapride on spinal morphine-induced pruritus **287**
Management of failed intubation in a septic parturient: *correspondence* **154**

anaesthesia, obstetric, Caesarean section, Comparison of the effect of intrathecal ropivacaine, levobupivacaine, and bupivacaine for Caesarean section **684**
Efficacy of augmentation of epidural analgesia for Caesarean section **532**
Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section **690**
Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**

anaesthesia, paediatric, Propofol and halothane *versus* sevoflurane in paediatric day-case surgery: *correspondence* **447**
Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**

anaesthesia, perioperative, Anaesthetics and cardiac preconditioning. Part I. Signalling and cytoprotective mechanisms **551**
Anaesthetics and cardiac preconditioning. Part II. Clinical implications **566**

anaesthesia, postoperative ,The effect of intrathecal clonidine anaesthesia on postoperative analgesia after Caesarean section: *abstract* **461P**

anaesthesia, recovery, Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia **787**

anaesthesia, urology, Air embolism—a complication of percutaneous nephrolithotripsy: *correspondence* **760**

anaesthetic techniques, New concepts of atelectasis during general anaesthesia **61**

anaesthetic techniques, cervical plexus block, Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**

anaesthetic techniques, direct laryngoscopy, Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**

anaesthetic techniques, epidural, Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
Early extubation after two-stage oesophagectomy: *correspondence* **760**
Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**
Effectiveness of acute postoperative pain management: *correspondence* **448**
Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**
Postdural puncture tinnitus: *correspondence* **762**
Should perioperative management target oxygen delivery?: *editorial* **615**

© The Board of Management and Trustees of the British Journal of Anaesthesia

Combined spinal epidural anaesthesia is better than spinal or epidural alone for Caesarean delivery: *correspondence* **299**
anaesthetic techniques, epidural, Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section **690**
Management of failed intubation in a septic parturient: *correspondence* **154**
The 'swoosh' test—an evaluation of a modified 'whoosh' test in children: *correspondence* **157**
anaesthetic techniques, extubation, Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia **787**
anaesthetic techniques, i.v., Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**
anaesthetic techniques, i.v. infusions, Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
anaesthetic techniques, induction, Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
anaesthetic techniques, inhalation, Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
Comparison of Isoflurane and propofol-fentanyl anaesthesia in a swine model of asphyxia **871**
Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
anaesthetic techniques, intraoperative supplementation, Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section **368**
anaesthetic techniques, intrathecal, Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
anaesthetic techniques, laryngoscopy, Relationship of difficult laryngoscopy to long-term non-insulin-dependent diabetes and hand abnormality detected using the 'prayer sign': *correspondence* **159**
anaesthetic techniques, minimum dose, Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section **368**
anaesthetic techniques, nasotracheal intubation, Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery **601**
anaesthetic techniques, regional, Comparison of the effect of intrathecal ropivacaine, levobupivacaine, and bupivacaine for Caesarean section **684**
anaesthetic techniques, regional, Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**
anaesthetic techniques, regional, brachial plexus, Comparison of three different volumes of mepivacaine in axillary plexus block using multiple nerve stimulation **519**
anaesthetic techniques, regional, caudal, Caudal neostigmine in children: *correspondence* **761**
Caudal additives in children—solutions or problems?: *correspondence* **300**
anaesthetic techniques, regional, peribulbar, Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
anaesthetic techniques, regional, retrobulbar, Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
anaesthetic techniques, regional, subarachnoid, Temporary trigeminal disorder as a result of pneumocephalus after subarachnoid block **430**
Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
anaesthetic techniques, regional, sub-Tenon's block, Sub-Tenon's administration of local anaesthetic: a review of the technique **921**
anaesthetic techniques, subarachnoid, Cross-tolerance between spinal neostigmine and morphine in the rat **427**
Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
Hyperlordosis: *correspondence* **609**
Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section **368**
Post-dural puncture headache: pathogenesis, prevention and treatment **718**
Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
Hyperbaric ropivacaine and bupivacaine: *correspondence* **301**
Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
anaesthetics gases, nitrogen, Can an anaesthetic action of atmospheric nitrogen be detected?: *abstract* **465P**
anaesthetics gases, nitrous oxide, Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**
Use of nitrous oxide in anaesthesia: *correspondence* **605**
Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**
anaesthetics gases, xenon, Xenon: no stranger to anaesthesia **709**
Functional magnetic resonance imaging of the lung **16**
anaesthetics i.v. Comparison of Isoflurane and propofol-fentanyl anaesthesia in a swine model of asphyxia **871**
Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalation anaesthesia **631**
Drug handling by the lungs **50**
anaesthetics i.v., etomidate, Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
anaesthetics i.v., ketamine, Caudal neostigmine in children: *correspondence* **761**
Comparison of block by lidocaine and ketamine at the hypothesized local anaesthetic binding site in the voltage gated sodium channel: *abstract* **459P**
Caudal additives in children—solutions or problems?: *correspondence* **300**
anaesthetics i.v., propofol, Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
novel method of deriving the effect compartment equilibrium rate constant for propofol **730**
Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
Comparison of Isoflurane and propofol-fentanyl anaesthesia in a swine model of asphyxia **871**
Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**
Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**
Implicit memory formation in sedated ICU patients after cardiac surgery **810**
Influence of propofol concentrations on multipulse transcranial motor evoked potentials **493**
Propofol and halothane *versus* sevoflurane in paediatric day-case surgery: *correspondence* **447**
Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study **797**
The effects of propofol on cerebral oxygenation and metabolism after head injury **781**
Use of nitrous oxide in anaesthesia: *correspondence* **605**
anaesthetics i.v., TCI, Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil and propofol for laparoscopic surgery **773**
How low can we go?: *editorial* **771**
anaesthetics i.v., thiopental, Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs **379**
anaesthetics local, Comparison of the effect of intrathecal ropivacaine, levobupivacaine, and bupivacaine for Caesarean section **684**
Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**
Drug handling by the lungs **50**

anaesthetics local, bupivacaine, Hyperbaric ropivacaine and bupivacaine: *correspondence* **301**
Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
anaesthetics local, lidocaine, Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
Comparison of block by lidocaine and ketamine at the hypothesized local anaesthetic binding site in the voltage gated sodium channel: *abstract* **459P**
Efficacy of augmentation of epidural analgesia for Caesarean section **532**
Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
anaesthetics local, mepivacaine, Comparison of three different volumes of mepivacaine in axillary plexus block using multiple nerve stimulation **519**
anaesthetics local, ropivacaine, Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery **830**
Hyperbaric ropivacaine and bupivacaine: *correspondence* **301**
Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
anaesthetics local, tetracaine, Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture **514**
anaesthetics volatile, Optimization of desflurane administration in morbidly obese patients: a comparison with sevoflurane using an 'inhalation bolus' technique **638**
Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalation anaesthesia **631**
Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
Uses of MAC: *editorial* **167**
anaesthetics volatile, bolus, Optimization of desflurane administration in morbidly obese patients: a comparison with sevoflurane using an 'inhalation bolus' technique **638**
anaesthetics volatile, desflurane, Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**
Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**
Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia **502**
anaesthetics volatile, enflurane, Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**
anaesthetics volatile, halothane, Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**
Propofol and halothane *versus* sevoflurane in paediatric day-case surgery: Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**
anaesthetics volatile, isoflurane, Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
anaesthetics volatile, sevoflurane, Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **464P**
Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
and halothane *versus* sevoflurane in paediatric day-case surgery: *correspondence* **447**
Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia **502**
Use of nitrous oxide in anaesthesia: *correspondence* **605**
Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making **175**
Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**
anaesthetics, gases, Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
Uses of MAC: *editorial* **167**
anaesthetist, competence, Expertise in practice: an ethnographic study exploring acquisition and use of knowledge in anaesthesia **319**
anaesthetists, training, Accreditation in transoesophageal echocardiography: statement from the Association of Cardiothoracic Anaesthetists and the British Society of Echocardiography Joint TOE Accreditation Committee: *editorial* **469**
analeptics, caffeine, Post-dural puncture headache: pathogenesis, prevention and treatment **718**
Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**
Analgesia, Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
analgesia, balanced, Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery **836**
analgesia, paediatric, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
analgesia, patient-controlled, Effectiveness of acute postoperative pain management: *correspondence* **448**
Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery **836**
analgesia, postoperative, Assessment of quality of parent administered postoperative analgesia in children undergoing day case surgery: a comparison of three regimens: *abstract* **467P**
Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCL A randomized, controlled study **842**
Sedative effects of morphine and clonidine: *correspondence* **449**
analgesic opioids, morphine, Inadvertent intrathecal injection of tramadol **918**
analgesic techniques, epidural, Management of pregnancy in a patient with severe haemophilia A **432**
analgesic techniques, intramuscular, Effectiveness of acute postoperative pain management: *correspondence* **448**
analgesic techniques, target-controlled infusion, Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCL A randomized, controlled study **842**
analgesics anti-inflammatory, cyclooxygenase-2 inhibitors, Use of PCA morphine as the sole analgesic for postoperative pain relief after TAH **923**
analgesics non-opioid, morphine, Use of PCA morphine as the sole analgesic for postoperative pain relief after TAH **923**
analgesics non-opioid, acetaminophen, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
Propacetamol augments inhibition of platelet function by diclofenac in volunteers **357**
analgesics non-opioid, diclofenac, Propacetamol augments inhibition of platelet function by diclofenac in volunteers **357**
analgesics non-opioid, ibuprofen, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
analgesics non-opioid, ketorolac, Early analgesic effects of parecoxib *vs* ketorolac following laparoscopic sterilization: *abstract* **463P**
analgesics non-opioid, nefopam, Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery **836**
analgesics non-opioid, parecoxib, Use of PCA morphine as the sole analgesic for postoperative pain relief after TAH **923**
analgesics opioid, Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
Comparison of different quantitative sensory testing methods during remifentanil infusion in volunteers **203**
Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**
Emetic effects of morphine and piritramide **218**

analgesics opioid, alfentanil, Activation of electrocortiocographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**
Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**
analgesics opioid, diamorphine, Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section **368**
analgesics opioid, morphine, Cross-tolerance between spinal neostigmine and morphine in the rat **427**
Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section **690**
Sedative effects of morphine and clonidine: *correspondence* **449**
Effect of intravenous alizapride on spinal morphine-induced pruritus **287**
analgesics opioid, remifentanil, Activation of electrocortiocographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**
Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**
Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**
Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**
Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCL A randomized, controlled study **842**
Influence of propofol concentrations on multipulse transcranial motor evoked potentials **493**
Low-dose remifentanil infusion does not impair natural killer cell function in healthy volunteers **805**
Optimization of desflurane administration in morbidly obese patients: a comparison with sevoflurane using an 'inhalation bolus' technique **638**
Remifentanil slows more than seizures: *correspondence* **301**
analgesics opioid, sufentanil, Efficacy of augmentation of epidural analgesia for Caesarean section **532**
Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCL A randomized, controlled study **842**
analgesics opioid, tramadol, Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
Pre-emptive analgesic efficacy of tramadol compared with morphine after major abdominal surgery **209**
analgesics, non-steroidal anti-inflammatory drugs, Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**
anatomy, Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**
anatomy, lymphatic system, Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**
anatomy, mandible, Obtaining corresponding landmarks of the human mandible: *abstract* **467P**
antagonists neuromuscular block, neostigmine, Cross-tolerance between spinal neostigmine and morphine in the rat **427**
antagonists, ondansetron, Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**
arterial pressure, Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**
arteries, grafting, Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function **473**
arteries, oxygenation, Acute lung injury following one-lung anaesthesia: *correspondence* **153**
arteries, ulnar, cannulation, Digital ischaemia after ulnar artery cannulation: *correspondence* **302**
artery, anterial spinal, Hyperlordosis: *correspondence* **609**
ataractics, cannabis, Cannabis in postoperative pain: a dose finding study: *abstract* **462P**
audit, cost effectiveness analysis, Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**
autonomic nervous system, Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**

blood, anticoagulants, heparin, HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **445**
HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **606**
blood, coagulation, HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **445**
HIT/HITT and alternative anticoagulation: current concepts: *correspondence* **606**
blood, coagulation factor, Management of pregnancy in a patient with severe haemophilia A **432**
blood, colloid substitution, Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**
blood, flow, Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**
blood, flow, splanchnic, Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock **878**
blood, gas analysis, Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
blood, haemodilution, Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**
blood, haemodynamics, Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study **273**
blood, haemolysis, Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**
blood, neutrophils, Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**
blood, platelet aggregation, Propacetamol augments inhibition of platelet function by diclofenac in volunteers **357**
blood, protein S100, Circulating S100B is increased after bilateral femur fracture without brain injury in the rat **595**
blood, transfusion, Assessment of intraoperative blood transfusion practice during elective non-cardiac surgery in an Indian tertiary care hospital **586**
SIRS—a syndrome, disease or a chef d'oeuvre?: *correspondence* **756**
blood, vessels, vasodilation, Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**
book reviews, *Anesthesia: a Comprehensive Review* **928**
Cardiovascular and Thoracic Anaesthesia **928**
Drugs in Anaesthesia and Intensive Care **929**
Practical Perioperative Transoesophageal Echocardiography **927**
Principles of Airway Management **927**
'This is no Humbug!' Reminiscences of the Department of Anaesthesia at the Massachusetts General Hospital **611**
Anaesthesia and Critical Care. An Exam Revision Companion **767**
Atlas of Pain Injection Techniques **765**
Atlas of Uncommon Pain Syndromes **454**
Careers in Anesthesiology. Autobiographical memoirs. Vol. VII. **304**
Cholera, Chloroform, and the Science of Medicine: A Life of John Snow **768**
Clinical Teaching. A guide to teaching practical anaesthesia **162**
Consent in Clinical Practice **612**
Data Interpretation in Critical Care Medicine **767**
Drugs for Pain **454**
Fundamentals of Anaesthesia **453**
International Anesthesiology Clinics. Trauma **163**
Key Facts in Anaesthesia and Intensive Care **305**
Key Topics in Clinical Research **163**
Law for Doctors: Principles and Practicalities **456**
Making Sense of Lung Function Tests **611**
Medical Statistics Made Clear: an Introduction to Basic Concepts **766**

Opioid Research: Methods and Protocols **766**
Paediatric anaesthesia and Critical Care in the District Hospital: a Practical Guide **612**
Pain Medicine—A Comprehensive Review **765**
Pharmacology **764**
Principles & Practice of Regional Anaesthesia **453**
Radiographic Imaging for Regional Anaesthesia and Pain Management **304**
Raising the Standard: Information for Patients **456**
Recent Advances in Anaesthesia and Intensive Care (22) **162**
Saunders Manual of Critical Care **455**
Systematic Reviews to Support Evidence-based Medicine. How to Review and Apply Findings of Healthcare Research **767**
The Anaesthesia Fact Book. Everything You Need to Know About Anaesthesia Before Your Surgery **613**
The Electronic Anesthesiology Library (TEAL) on CD-ROM, Vol. 8: 1992-2002 **764**
The History of Anesthesia **305**

brain, auditory evoked potential,Quality of perioperative AEP—variability of expert ratings **905**

brain, auditory evoked response, Quality of perioperative AEP—variability of expert ratings **905**

brain, blood flow, Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**

brain, blood flow velocity, Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**

brain, cerebral auto-regulation, Perioperative management of a CADASIL type arteriopathy patient **442**

brain, cerebral circulation, Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study **273**

brain, cerebral ischaemia, Perioperative management of a CADASIL type arteriopathy patient **442**

brain, cerebral oxygenation, Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**

brain, cerebral perfusion, Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **464P**

brain, cerebral perfusion, Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**

brain, electroconvulsive therapy, Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy **752**

brain, electroencephalography, Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**

brain, embolism, Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**

brain, metabolism, The effects of propofol on cerebral oxygenation and metabolism after head injury **781**

brain, neuroprotection, Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**

brain, repetitive transcranial magnetic stimulation, Measurement of motor evoked potentials following repetitive magnetic motor cortex stimulation during isoflurane or propofol anaesthesia **487**

brain, reticular formation, Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**

brain, syncope, Decreased bispectral index as an indicator of syncope before hypotension and bradycardia in two patients with needle phobia **749**

brain, traumatic injury, Circulating S100B is increased after bilateral femur fracture without brain injury in the rat **595**

carbon dioxide, Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**

carbon dioxide, measurement, Increased carbon dioxide absorption during retroperitoneal laparoscopy **793**

cardiovascular system, Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**

cardiorespiratory system, synchronization, Quantal ventilatory variability during spontaneous breathing anaesthesia **184**

cardiovascular system, venous haemodynamics Monitoring venous haemodynamics in the lower limb during abdominal surgery: flow attenuation counteracted by enhanced flow pulsatility: *abstract* **466P**

cells, natural killer cell activity, Low-dose remifentanil infusion does not impair natural killer cell function in healthy volunteers **805**

children,Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**
Circuit obstruction: *correspondence* **452**
Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**

chylothorax, chylous ascites, Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**

chylothorax, lymphoedema, Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**

complications, Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
Hidden hazards and dangers associated with the use of HME/filters in breathing circuits. Their effect on toxic metabolite production, pulse oximetry and airway resistance **249**
Postoperative pseudoepileptic seizures in a known epileptic: complications in recovery **598**

complications, acute anaemia, Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**

complications, acute renal failure, Metformin lactic acidosis, acute renal failure, and rofecoxib **909**

complications, acute respiratory distress syndrome, Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
Liquid ventilation **143**
Lung injury after thoracotomy **132**
Practical assessment of respiratory mechanics **92**

complications, adverse drug reaction, Safety of human albumin—serious adverse events reported worldwide in 1998-2000 **625**

complications, air embolism, Air embolism—a complication of percutaneous nephrolithotripsy: *correspondence* **760**

complications, airway obstruction, Anaesthesia and tracheobronchial stenting for central airway obstruction in adults: *correspondence* **450**

complications, anatomic variation, Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block **916**

complications, arteriovenous malformation, Preventing bleeding complications in percutaneous tracheostomy—another role for portable ultrasound in intensive care: *correspondence* **607**

complications, atelectasis, New concepts of atelectasis during general anaesthesia **61**

complications, atherosclerosis, Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**

complications, bronchoconstriction, Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs **379**

complications, CADASIL syndrome, Perioperative management of a CADASIL type arteriopathy patient **442**

complications, cancer, Inadvertent intrathecal injection of tramadol **918**

complications, central core disease, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**

complications, chronic thromboembolic pulmonary hypertension (CTEPH), Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**

complications, circulatory arrest ,Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**

complications, coagulopathy, Near-patient testing: *correspondence* **608**

complications, constipation, Constipation and its implications in the critically ill patient **815**

complications, death, Another death after percutaneous dilational tracheostomy **925**

complications, diabetes, Ischaemia-reperfusion studies and diabetes mellitus: *correspondence* **158**
Monitoring neuromuscular blockade in diabetic patients using electromyography: an opportunity missed: *correspondence* **608**

Relationship of difficult laryngoscopy to long-term non-insulin-dependent diabetes and hand abnormality detected using the 'prayer sign': *correspondence* **159**

complications, dural puncture, Post-dural puncture headache: pathogenesis, prevention and treatment **718**

complications, embolism, paradoxical, Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty **911**

complications, epilepsy Activation of electrocortiocographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**

Remifentanil slows more than seizures: *correspondence* **301**

complications, Guillain-Barré syndrome, Non-invasive ventilation to avoid tracheal intubation in a patient with Gullain-Barré syndrome **913**

complications, haemophilia, Management of pregnancy in a patient with severe haemophilia A **432**

complications, haemorrhage, Preventing bleeding complications in percutaneous tracheostomy—another role for portable ultrasound in intensive care: *correspondence* **607**

complications, head injury,The effects of propofol on cerebral oxygenation and metabolism after head injury **781**

complications, headache, Post-dural puncture headache: pathogenesis, prevention and treatment **718**

complications, hospital mortality, Safety of human albumin—serious adverse events reported worldwide in 1998-2000 **625**

complications, hyperalgesia, Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery **836**

complications, hyperkalaemia, Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**

complications, hypertension, Inadvertent intrathecal injection of tramadol **918**

Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia **695**

complications, hypothermia, Duration of vecuronium-induced neuromuscular blockade is shortened during hyperthermic intraoperative intraperitoneal chemotherapy: *correspondence* **160**

Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**

complications, hypoxia, Influence of anaesthesia and analgesia on the control of breathing **40**

complications, infections, Management of failed intubation in a septic parturient: *correspondence* **154**

complications, inflammation, Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**

complications, injection phobia, Decreased bispectral index as an indicator of syncope before hypotension and bradycardia in two patients with needle phobia **749**

complications, intracranial embolism, Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty **911**

complications, intracranial intubation, Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery **601**

complications, intubation endobronchial, Repeated inadvertent endobronchial intubation during laparoscopy **297**

complications, intubation tracheal, Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**

Management of failed intubation in a septic parturient: *correspondence* **154**

complications, ischaemia, Digital ischaemia after ulnar artery cannulation: *correspondence* **302**

Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**

complications, knotted catheter, Knotted continuous cardiac output thermodilution catheter diagnosed by intraoperative transoesophageal echocardiography: *correspondence* **451**

complications, long bone injury, Circulating S100B is increased after bilateral femur fracture without brain injury in the rat **595**

complications, malignant hyperthermia, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**

Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**

complications, mask failure, Clinical alert: failure in face mask seal as a consequence of incorrect face mask assembly **924**

complications, middle cerebral artery occlusion, Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**

complications, morbidity, Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**

Recurarization in the recovery room following the use of magnesium sulphate **435**

Should perioperative management target oxygen delivery?: *editorial* **615**

complications, organ dysfunction, Genotype and interleukin-10 responses after cardiopulmonary bypass **424**

complications, pneumocephalus, Temporary trigeminal disorder as a result of pneumocephalus after subarachnoid block **430**

complications, pneumonia, Preanaesthetic H_2 antagonists for acid aspiration pneumonia prophylaxis. Is there evidence of tolerance?: *correspondence* **446**

complications, postdural puncture tinnitus, Postdural puncture tinnitus: *correspondence* **762**

complications, postoperative, Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**

complications, pruritus, Effect of intravenous alizapride on spinal morphine-induced pruritus **287**

complications, pulmonary embolism, Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty **911**

complications, pulmonary hypertension, Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**

complications, pulmonary vascular resistance, Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**

complications, respiratory failure, Non-invasive ventilation to avoid tracheal intubation in a patient with Gullain-Barré syndrome **913**

complications, respiratory, New concepts in respiratory function: *editorial* **1**

complications, saccadic latency, Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making **175**

complications, serotonin syndrome, Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia **281**

complications, shock, Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock **878**

Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**

complications, side-effects, Emetic effects of morphine and piritramide **218**

complications, smokers, Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**

complications, stomatocytosis, Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**

complications, textubation tracheal, Early extubation after two-stage oesophagectomy: *correspondence* **760**

complications, tracheomalacia, Welded tracheal stent removal in a child under cardiopulmonary bypass **294**

complications, transfusion-related acute lung injury, Management of transfusion-related acute lung injury with extracorporeal cardiopulmonary support in a four-year-old child **292**

complications, trauma, SIRS—a syndrome, disease or a chef d'oeuvre?: *correspondence* **756**

Theatre case mix in a field hospital during Gulf War 2: *abstract* **459P**

Theatre workload in a field hospital during Gulf War 2: *abstract* **458P**

complications, war, Theatre case mix in a field hospital during Gulf War 2: *abstract* **459P**

Theatre workload in a field hospital during Gulf War 2: *abstract* **458P**

complictions, left bundle branch block, Complete heart block during central venous catheter placement in a patient with pre-existing left bundle branch block **747**

critical care, Disorders of the lymph circulation: their relevance to anaesthesia and intensive care **265**

donors, heart beating organ donation, Brain stem death and organ donation—11 years on **577**
donors, non-heart beating organ donor, Brain stem death and organ donation—11 years on **577**
donors, organ donation, Brain stem death and organ donation—11 years on **577**

education, simulation training, Failure of simulation training to change residents' management of oesophageal intubation **312**
The problem of coordinating simulator-based instruction with experience in the real workplace: *editorial* **309**
Enzymes, Genes and outcome from anaesthesia: *correspondence* **755**
enzymes, trypsin, inhibition, Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**
equipment, AEP monitor, Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
equipment, airway management device, Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia **672**
equipment, Airway Management Device, Mechanical closure of the vocal cords with the Airway Management Device: *correspondence* **299**
equipment, airway, Simple tracheal tube—an alternative to the modified nasal trumpet: *correspondence* **759**
equipment, catheters central venous, Complete heart block during central venous catheter placement in a patient with pre-existing left bundle branch block **747**
equipment, catheters, Incorrect distance markings on an epidural catheter: *correspondence* **610**
Knotted continuous cardiac output thermodilution catheter diagnosed by intraoperative transoesophageal echocardiography: *correspondence* **451**
equipment, fibreoptic stylet, New options for airway management: intubating fibreoptic stylets **408**
equipment, filters, Hidden hazards and dangers associated with the use of HME/filters in breathing circuits. Their effect on toxic metabolite production, pulse oximetry and airway resistance **249**
equipment, heat and moisture exchange filters, The effect of gas flow on the filtration performance of breathing system filters: *abstract* **465P**
The filtration performance of breathing system filters—a survey of filters available on the UK market: *abstract* **466P**
equipment, intubating laryngeal mask airway, Avoiding oesophageal ventilation with the intubating laryngeal mask airway: predictive value of the air aspiration test compared with capnography: *correspondence* **758**
Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia **672**
equipment, laryngoscopes fibreoptic, Intubation times for using the Bonfils intubation fibrescope: *correspondence* **757**
equipment, masks, Clinical alert: failure in face mask seal as a consequence of incorrect face mask assembly **924**
equipment, masks laryngeal, Randomized comparison of laryngeal tube with classic laryngeal mask airway for anaesthesia with controlled ventilation **373**
Randomized crossover comparison of the ProSeal™ laryngeal mask airway with the Laryngeal Tube® during anaesthesia with controlled ventilation **678**
equipment, monitors, Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
Measurement of motor evoked potentials following repetitive magnetic motor cortex stimulation during isoflurane or propofol anaesthesia **487**
equipment, ProSeal™ laryngeal mask airway, Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy **752**
equipment, proton transfer reaction mass spectrometer, Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study **797**
equipment, stents, Anaesthesia and tracheobronchial stenting for central airway obstruciton in adults: *correspondence* **450**
equipment, tracheal stent, Welded tracheal stent removal in a child under cardiopulmonary bypass **294**
equipment, tubes larynegeal, Randomized crossover comparison of the ProSeal™ laryngeal mask airway with the Laryngeal Tube® during anaesthesia with controlled ventilation **678**
Randomized comparison of laryngeal tube with classic laryngeal mask airway for anaesthesia with controlled ventilation **373**
equipment, tubes tracheostomy, Preventing bleeding complications in percutaneous tracheostomy—another role for portable ultrasound in intensive care: *correspondence* **607**
Another death after percutaneous dilational tracheostomy **925**
equipment, ventilators, Patient–ventilator interaction **106**
eye, cataract, Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
eye, pupil size, Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**
eye, reflexes, Effect site concentrations of remifentanil and pupil response to noxious stimulation **347**

gases non-anaesthetic, helium, Functional magnetic resonance imaging of the lung **16**
gastrointestinal tract, acid secretion, Preanaesthetic H_2 antagonists for acid aspiration pneumonia prophylaxis. Is there evidence of tolerance?: *correspondence* **446**
gastrointestinal tract, oesophageal intubation, Failure of simulation training to change residents' management of oesophageal intubation **312**
The problem of coordinating simulator-based instruction with experience in the real workplace: *editorial* **309**
gender, Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil and propofol for laparoscopic surgery **773**
gender, monitoring, bispectral index, How low can we go?: *editorial* **771**

heart, arrhythmia, Complete heart block during central venous catheter placement in a patient with pre-existing left bundle branch block **747**
heart, cardiac preconditioning, cardioprotection, Anaesthetics and cardiac preconditioning. Part I. Signalling and cytoprotective mechanisms **551**
Anaesthetics and cardiac preconditioning. Part II. Clinical implications **566**
heart, cardiopulmonary bypass, Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**
Genotype and interleukin-10 responses after cardiopulmonary bypass **424**
Near-patient testing: *correspondence* **608**
Temporary cardiopulmonary bypass and isolated lung ventilation for tracheal stenosis and reconstruction **742**
heart, cardiovascular stability, Xenon: no stranger to anaesthesia **709**
heart, catheterization, Complete heart block during central venous catheter placement in a patient with pre-existing left bundle branch block **747**
Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters **481**
heart, coronary artery, bypass grafting, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**
heart, diastolic function, Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function **473**
heart, heart rate, Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**
heart, ischaemia, Ischaemia-reperfusion studies and diabetes mellitus: *correspondence* **158**
heart, pulse transit time, Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**
heart, resuscitation, Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**
Comparison of Isoflurane and propofol-fentanyl anaesthesia in a swine model of asphyxia **871**
heart, systolic function, Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function **473**
hormones, glucocorticoid, dexamethasone, Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**

hormones, prostaglandins, Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion **353**
hormones, statins, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**
horse, Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
hospital, field, Theatre case mix in a field hospital during Gulf War 2: *abstract* **459P**
Theatre workload in a field hospital during Gulf War 2: *abstract* **458P**
hypnotics benzodiazepine, midazolam, Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**
hypnotics butyrophenone, droperidol, Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**
hypnotics i.v., Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**
hypnotics, butyrophenone, droperidol, Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**

intensive care, Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
Novel aspects of pulmonary mechanics in intensive care **81**
Preanaesthetic H_2 antagonists for acid aspiration pneumonia prophylaxis. Is there evidence of tolerance?: *correspondence* **446**
intensive care, adult, Study examining attitudes of staff, patients and relatives to witnessed resuscitation in adult intensive care units **820**
intensive care, audit, Constipation and its implications in the critically ill patient **815**
New method to evaluate the practice of positive pressure ventilation in intensive care units **419**
intensive care, witnessed resuscitation, Study examining attitudes of staff, patients and relatives to witnessed resuscitation in adult intensive care units **820**
intubation nasotracheal, complications, Cardiovascular changes after the three stages of nasotracheal intubation **667**
intubation, tracheal, Avoiding oesophageal ventilation with the intubating laryngeal mask airway: predictive value of the air aspiration test compared with capnography: *correspondence* **758**
TMJ assessment before anaesthesia: *correspondence* **757**
Intubation times for using the Bonfils intubation fibrescope: *correspondence* **757**
New options for airway management: intubating fibreoptic stylets **408**
intubation tracheal, difficult, The upper airway during anaesthesia **31**
ions, chemical ionization, Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study **797**
ions, ion channels, neural voltage-gated, The sleep lipid *cis* 9,10-octadecenoamide (cOA) blocks native neural voltage-gated Na^+ channels (VGSCs) but not recombinant VGSCs in oocytes: *abstract* **460P**
ions, ion channels, voltage-gated, Comparison of block by lidocaine and ketamine at the hypothesized local anaesthetic binding site in the voltage gated sodium channel: *abstract* **459P**
ions, magnesium sulphate, Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study **273**

kidney, renal proximal tubule cells, Methylprednisolone reduces TNF-α-mediated HK_2 cell necrosis *abstract* **462P**

lung, Good short-term agreement between measured and calculated tracheal pressure **239**
lung, atelectasis, New concepts of atelectasis during general anaesthesia **61**
lung, bronchial epithelial cell, Human respiratory epithelial culture: towards an in-vitro model of inhalation injury: *abstract* **461P**
lung, damage, Lung injury after thoracotomy **132**
lung, functions, Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**
lung, hypoxia Release by hypoxia of a soluble vasoconstrictor from rabbit small pulmonary arteries **592**
lung, lavage Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
lung, metabolic function, Drug handling by the lungs **50**
lung, pulmonary vasoconstriction, Release by hypoxia of a soluble vasoconstrictor from rabbit small pulmonary arteries **592**
lung, respirator therapy, Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
lung, tracheal pressure, Good short-term agreement between measured and calculated tracheal pressure **239**
lung, water, Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock **224**

measurement techniques, The effect of gas flow on the filtration performance of breathing system filters: *abstract* **465P**
The filtration performance of breathing system filters—a survey of filters available on the UK market: *abstract* **466P**
measurement techniques, coagulation, Near-patient testing: *correspondence* **608**
measurement techniques, Doppler ultrasonography, Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia **190**
measurement techniques, dynamic computed tomography, Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
measurement techniques, echocardiography, transoesophageal, Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters **481**
measurement techniques, electrocorticogram, Activation of electrocortiocographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**
measurement techniques, gas exchange, Recent advances in gas exchange measurement in intensive care patients **120**
measurement techniques, HPLC, Emetic effects of morphine and piritramide **218**
measurement techniques, magnetic resonance imaging, Functional magnetic resonance imaging of the lung **16**
measurement techniques, microdialysis, Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock **878**
measurement techniques, near-infrared spectroscopy, Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation **438**
measurement techniques, neuromuscular block, Duration of vecuronium-induced neuromuscular blockade is shortened during hyperthermic intraoperative intraperitoneal chemotherapy: *correspondence* **160**
measurement techniques, plethysmorgraphy, Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
measurement techniques, respiratory, Practical assessment of respiratory mechanics **92**
measurement techniques, tissue Doppler imaging, Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function **473**
measurement techniques, tomography, New concepts of atelectasis during general anaesthesia **61**
measurement techniques, transcranial Doppler, Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**
Effects of desflurane anaesthesia on zero flow pressure and estimated cerebral perfusion pressure: *abstract* **464P**
measurement techniques, transcranial Doppler ultrasonography, Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study **273**
measurement techniques, transoesophageal echocardiography, Accreditation in transoesophageal echocardiography: statement from the Association of Cardiothoracic Anaesthetists and the British Society of Echocardiography Joint TOE Accreditation Committee: *editorial* **469**

Cerebral embolization during cardiac surgery: impact of aortic atheroma burden **656**
Knotted continuous cardiac output thermodilution catheter diagnosed by intraoperative transoesophageal echocardiography: *correspondence* **451**
measurement techniques, UV-spectrophotometry, Emetic effects of morphine and piritramide **218**
metabolism, energy expenditure, Recent advances in gas exchange measurement in intensive care patients **120**
metabolism, inorganic fluoride, Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**
metabolism, lactate, Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock **878**
metabolism, lipid, oleamide, The sleep lipid *cis* 9,10-octadecenoamide (cOA) blocks native nural voltage-gated Na^+ channels (VGSCs) but not recombinant VGSCs in oocytes: *abstract* **460P**
metabolism, oxygen consumption, Recent advances in gas exchange measurement in intensive care patients **120**
metabolism, respiratory rhythm, Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study **385**
model, computer simulation, A novel method of deriving the effect compartment equilibrium rate constant for propofol **730**
Obtaining corresponding landmarks of the human mandible: *abstract* **467P**
model, i.v., Human respiratory epithelial culture: towards an in-vitro model of inhalation injury: *abstract* **461P**
model, knockout mouse, Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
model, lung, Gas exchange modelling: no more gills, please **2**
model, ventilatory mechanics, Influence of anaesthesia and analgesia on the control of breathing **40**
monitoring, Anaesthesia for spinal surgery in adults **886**
monitoring, auditory evoked potential, Awareness detected by auditory evoked potential monitoring **290**
monitoring, bispectral index, Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation **341**
Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil and propofol for laparoscopic surgery **773**
Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index **825**
Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
Decreased bispectral index as an indicator of syncope before hypotension and bradycardia in two patients with needle phobia **749**
monitoring, continuous intra-arterial blood gas, Acute lung injury following one-lung anaesthesia: *correspondence* **153**
monitoring, continuous intravascular blood gas, Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device **397**
monitoring, depth of anaesthesia, Quality of perioperative AEP—variability of expert ratings **905**
monitoring, electrocardiography, Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters **481**
monitoring, electroencephalogram, Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia **336**
monitoring, electroencephalography, BIS Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
monitoring, electroencephalography, PSI Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
monitoring, evoked potential, Influence of propofol concentrations on multipulse transcranial motor evoked potentials **493**
Quality of perioperative AEP—variability of expert ratings **905**
monitoring, intraoperative, Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index **329**
Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**
monitoring, motor evoked potentials, Measurement of motor evoked potentials following repetitive magnetic motor cortex stimulation during isoflurane or propofol anaesthesia **487**
monitory, intraoperative, Should perioperative management target oxygen delivery?: *editorial* **615**
mouse, Heritable differences in respiratory drive and breathing pattern in mice furing anaesthesia and emergence **541**
muscle skeletal, The abdominal muscles in anaesthesia and after surgery **73**

neonates, Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture **514**
nerve, phrenic, Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block **916**
neuromuscular block, cisatracurium, Recurarization in the recovery room following the use of magnesium sulphate **435**
neuromuscular block, supraclavicular, Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block **916**
neuromuscular block, vecuronium, Monitoring neuromuscular blockade in diabetic patients using electromyography: an opportunity missed: *correspondence* **608**
neurosurgical, Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery **601**
non-steroidal anti-inflammatory drugs, Metformin lactic acidosis, acute renal failure, and rofecoxib **909**
non-steroidal anti-inflammatory drugs, Propacetamol augments inhibition of platelet function by diclofenac in volunteers **357**

oxygen, consumption, Recent advances in gas exchange measurement in intensive care patients **120**
oxygen, delivery systems, extracorporeal membrane oxygenation, SIRS—a syndrome, disease or a chef d'oeuvre?: *correspondence* **756**
oxygen, perioperative, Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**
oxygen, regional intrapulmonary, Functional magnetic resonance imaging of the lung **16**
oxygen, supplemental, Supplemental oxygen for prevention of nausea and vomiting after breast surgery **284**
oxygen, transport, Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution **196**

pain, Cannabis in postoperative pain: a dose finding study: *abstract* **462P**
Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture **514**
pain relief, postoperative, Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery **830**
pain, acute, Pre-emptive analgesic efficacy of tramadol compared with morphine after major abdominal surgery **209**
pain, experimental, Comparison of different quantitative sensory testing methods during remifentanil infusion in volunteers **203**
pain, geriatric The challenge of assessing and managing pain in early and later life **924**
pain, measurement, Emetic effects of morphine and piritramide **218**
pain, neuropathic, Efficacy of intravenous magnesium in neuropathic pain: *correspondence* **302**
pain, paediatric, The challenge of assessing and managing pain in early and later life **924**
pain, postherpetic neuralgia, Efficacy of intravenous magnesium in neuropathic pain: *correspondence* **302**
pain, postoperative, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
Effectiveness of acute postoperative pain management: *correspondence* **448**
Pain disaggregation theory—statistical nonsense or a pointer to a paradigm for quantum nociception? **279**

patient, satisfaction, Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalation anaesthesia **631**
peptides, Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**
pharmacoepidemiology audit, Safety of human albumin—serious adverse events reported worldwide in 1998-2000 **625**
pharmacogenetics, Genes and outcome from anaesthesia: *correspondence* **755**
pharmacokinetics, A novel method of deriving the effect compartment equilibrium rate constant for propofol **730**
Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCL A randomized, controlled study **842**
Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia **787**
pharmacology, (COX)-2 inhibitor, parecoxib, Early analgesic effects of parecoxib *vs* ketorolac following laparoscopic sterilization: *abstract* **463P**
pharmacology, agonists adrenergic, Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**
Should perioperative management target oxygen delivery?: *editorial* **615**
pharmacology, agonists opioid, nociceptin/orphanin FQ, Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study **385**
pharmacology, alizapride, Effect of intravenous alizapride on spinal morphine-induced pruritus **287**
pharmacology, drug interactions, Pre-emptive analgesic efficacy of tramadol compared with morphine after major abdominal surgery **209**
pharmacology, liquid ventilation, fluorocarbons, Breathing gas perfluorocarbon measurements using an absorber filled with zeolites **736**
pharmacology, magnesium, Recurarization in the recovery room following the use of magnesium sulphate **435**
pharmacology, methacholine, Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs **379**
pharmacology, methylprednisolone, Methylprednisolone reduces TNF-α-mediated HK_2 cell necrosis *abstract* **462P**
pharmacology, perfluorocarbons, Liquid ventilation **143**
pig Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS **699**
polypeptide, cytokines, interleukin-10, Genotype and interleukin-10 responses after cardiopulmonary bypass **424**
position, hyperladotic, Hyperlordosis: *correspondence* **609**
potency, anaesthetic, age factors, Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
potency, anaesthetic, age factors, Uses of MAC: *editorial* **167**
potency, anaesthetic, MAC, Can an anaesthetic action of atmospheric nitrogen be detected?: *abstract* **465P**
Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man **170**
Uses of MAC: *editorial* **167**
pregnancy, Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy **752**
protein, albumin, Safety of human albumin—serious adverse events reported worldwide in 1998-2000 **625**
protein, aprotinin, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**
protein, keratin expression, Human respiratory epithelial culture: towards an in-vitro model of inhalation injury: *abstract* **461P**
protein, urinary cytokines, The association between elevations in urinary cytokines and renal dysfunction after trauma and major surgery: *abstract* **463P**
protein, β_2-microglobulin, Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia **800**

rat, Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat **390**
receptors, chemoreceptors, carotid body, Influence of anaesthesia and analgesia on the control of breathing **40**
receptors, nociception, Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**
receptors, opioid, Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro* **546**
Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study **385**
receptors, V-methyl-D-aspartate, Xenon: no stranger to anaesthesia **709**
recovery, Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures **580**
Postoperative pseudoepileptic seizures in a known epileptic: complications in recovery **598**
Recovery of elderly patients from two or more hours of desflurane or sevolfurane anaesthesia **502**
Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making **175**
reflexes, baroreceptor, Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**

sedation, Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy **363**
Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making **175**
sedation, conscious, Randomized, controlled, cross-over clinical trial comparing i.v. mediazolam sedation with nitrous oxide sedation in children undergoing dental extractions **850**
sedation, implicit memory, Implicit memory formation in sedated ICU patients after cardiac surgery **810**
serotonin (5-hydroxytryptamine), Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs **379**
sleep, sleep apnoea, The upper airway during anaesthesia **31**
solubility, partition coefficient, Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood **276**
spinal chord, brainstem, Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study **385**
spinal cord, infarction, Hyperlordosis: *correspondence* **609**
statistics, Pain disaggregation theory—statistical nonsense or a pointer to a paradigm for quantum nociception? **279**
sterilization, laparoscopic, Early analgesic effects of parecoxib *vs* ketorolac following laparoscopic sterilization: *abstract* **463P**
surgery, The association between elevations in urinary cytokines and renal dysfunction after trauma and major surgery: *abstract* **463P**
surgery, abdominal, Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery **619**
Monitoring venous haemodynamics in the lower limb during abdominal surgery: flow attenuation counteracted by enhanced flow pulsatility: *abstract* **466P**
Should perioperative management target oxygen delivery?: *editorial* **615**
surgery, abdominal, The abdominal muscles in anaesthesia and after surgery **73**
surgery, arthroplasty, hip replacement, Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty **911**
surgery, breast, Supplemental oxygen for prevention of nausea and vomiting after breast surgery **284**
surgery, cardiovascular, Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization **507**
Near-patient testing: *correspondence* **608**
Sedative effects of morphine and clonidine: *correspondence* **449**
Ischaemia-reperfusion studies and diabetes mellitus: *correspondence* **158**
Management of transfusion-related acute lung injury with extracorporeal cardiopulmonary support in a four-year-old child **292**
Nausea and vomiting after fast-track cardiac anaesthesia **214**
Welded tracheal stent removal in a child under cardiopulmonary bypass **294**
surgery, carotid endarterectomy, Spread of injectate with superficial cervical plexus block in humans: an anatomical study **733**

surgery, cholecystectomy, Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil and propofol for laparoscopic surgery **773**
How low can we go?: *editorial* **771**
surgery, day-case, Assessment of quality of parent administered postoperative analgesia in children undergoing day case surgery: a comparison of three regimens: *abstract* **467P**
surgery, ENT, Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation **421**
surgery, gastrointestinal, Early extubation after two-stage oesophagectomy: *correspondence* **760**
Lung injury after thoracotomy **132**
surgery, hip/knee arthroplasty, Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery **830**
surgery, laparoscopy, Repeated inadvertent endobronchial intubation during laparoscopy **297**
surgery, neurological, Activation of electrocortiocographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus **651**
surgery, ophthalmological, Sub-Tenon's administration of local anaesthetic: a review of the technique **921**
Anaesthesia-related diplopia after cataract surgery: *correspondence* **152**
surgery, pulmonary thromboendarteredtomy (PTE), Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis **739**
surgery, renal, Increased carbon dioxide absorption during retroperitoneal laparoscopy **793**
surgery, retroperitoneoscopy, Increased carbon dioxide absorption during retroperitoneal laparoscopy **793**
surgery, spinal, Anaesthesia for spinal surgery in adults **886**
nfluence of propofol concentrations on multipulse transcranial motor evoked potentials **493**
surgery, thoracic, Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**
Lung injury after thoracotomy **132**
surgery, thoracotomy, Acute lung injury following one-lung anaesthesia: *correspondence* **153**
surgery, thyroidectomy, Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**
surgery, total hip replacement, Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery: *correspondence* **155**
surgery, tracheal resection, Temporary cardiopulmonary bypass and isolated lung ventilation for tracheal stenosis and reconstruction **742**
surgery, urological, Effect of intrathecal tramadol administration on postoperative pain after transurethral resection of prostate **536**
sympathetic nervous system, Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery **525**
Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia **662**
sympathetic nervous system, clonidine, Caudal neostigmine in children: *correspondence* **761**
Sedative effects of morphine and clonidine: *correspondence* **449**
Caudal additives in children—solutions or problems?: *correspondence* **300**
sympathetic nervous system, pharmacology, clonidine, The effect of intrathecal clonidine anaesthesia on postoperative analgesiaq after Caesarean section: *abstract* **461P**

temperature, regulation, hypothermia, Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy **744**
theories of anaesthetic action, Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index **583**
theories of anaesthetic action, mechanisms, Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation **233**
therapy, hyperbaric oxygen, Air embolism—a complication of percutaneous nephrolithotripsy: *correspondence* **760**
transfusion, appropriate, Assessment of intraoperative blood transfusion practice during elective non-cardiac surgery in an Indian tertiary care hospital **586**
trauma, The association between elevations in urinary cytokines and renal dysfunction after trauma and major surgery: *abstract* **463P**

veins, jugular, Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters **481**
veins, venepuncture, Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture **514**
ventilation, Avoiding oesophageal ventilation with the intubating laryngeal mask airway: predictive value of the air aspiration test compared with capnography: *correspondence* **758**
Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
Constipation and its implications in the critically ill patient **815**
Influence of anaesthesia and analgesia on the control of breathing **40**
Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia **787**
New method to evaluate the practice of positive pressure ventilation in intensive care units **419**
Patient–ventilator interaction **106**
ventilation, airway pressure, Measuring tracheal airway pressures during transtracheal jet ventilation: *abstract* **460P**
ventilation, breath analysis, Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study **797**
ventilation, continuous, Gas exchange modelling: no more gills, please **2**
ventilation, control of breathing, Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice **862**
ventilation, control, Quantal ventilatory variability during spontaneous breathing anaesthesia, **184**
ventilation, controlled mechanical, Good short-term agreement between measured and calculated tracheal pressure **239**
ventilation, gender differences, Influence of anaesthesia and analgesia on the control of breathing **40**
ventilation, jet, Measuring tracheal airway pressures during transtracheal jet ventilation: *abstract* **460P**
ventilation, liquid, Liquid ventilation **143**
ventilation, mechanical, New concepts in respiratory function: *editorial* **1**
ventilation, mechanics, Novel aspects of pulmonary mechanics in intensive care **81**
ventilation, non-invasive positive-pressure, Non-invasive ventilation to avoid tracheal intubation in a patient with Gullain-Barré syndrome **913**
ventilation, one-lung. Acute lung injury following one-lung anaesthesia: *correspondence* **153**
Lung injury after thoracotomy **132**
ventilation, respiratory drive, Heritable differences in respiratory drive and breathing pattern in mice furing anaesthesia and emergence **541**
ventilation, spontaneous, Good short-term agreement between measured and calculated tracheal pressure **239**
ventilation, steady-state hypothesis, Gas exchange modelling: no more gills, please **2**
ventilation, tidal, Gas exchange modelling: no more gills, please **2**
vomiting, nausea, Propofol and halothane *versus* sevoflurane in paediatric day-case surgery: *correspondence* **447**
Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy **857**
vomiting, nausea, postoperative, Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting **589**
Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalation anaesthesia **631**
Nausea and vomiting after fast-track cardiac anaesthesia **214**
Supplemental oxygen for prevention of nausea and vomiting after breast surgery **284**
vomiting, nausea, sedation, Use of PCA morphine as the sole analgesic for postoperative pain relief after TAH **923**